

Technical Reports and Conference Proceedings:

“RHIC Polarized Proton-Proton Operation at 100 GeV in Run 15”, V. Schoefer, Proceedings of IPAC2015, Richmond, VA, USA, May 3-8, 2015.

“Operation Experience of p-Carbon Polarimeter in RHIC”, H. Huang *et al.*, Proceedings of IPAC2015, Richmond, VA, USA, May 3-8, 2015.

“RHIC p-Carbon Polarimeter Target Lifetime Issue”, H. Huang *et al.*, Proceedings of IBIC2014, Monterey, CA, USA, Sept. 14-18, 2014.

“Energy Calibration and Tune Jumps Efficiency in the PP AGS”, Y. Dutheil *et al.*, Proceedings of IPAC2014, Dresden, Germany, June 15-20, 2014.

“Optics setup in the AGS and AGS Booster for Polarized Helion Beam”, Y. Dutheil *et al.*, Proceedings of IPAC2014, Dresden, Germany, June 15-20, 2014.

“Overcoming the Horizontal Depolarizing Resonance in the Brookhaven AGS”, Y. Dutheil *et al.*, Proceedings of IPAC2014, Dresden, Germany, June 15-20, 2014.

“RHIC Performance during the 7.5 GeV Low Energy Run in FY 2014”, Y. Luo *et al.*, Proceedings of IPAC2014, Dresden, Germany, June 15-20, 2014.

“Upgrading the RHIC Beam Dump for Higher Intensity”, C. Montag *et al.*, Proceedings of PAC2013, Pasadena, CA USA, September 29 - October 4, 2013.

“Proton Emittance Measurements in the Brookhaven AGS”, H. Huang *et al.*, Proceedings of the 2nd International Beam Instrumentation Conference (IBIC2013), Oxford, UK, September 16-19, 2013.

“Polarimetry at the AGS”, A. Pobladuev , *et al.*, Proceedings of the XVth International Workshop on Polarized Sources, Targets, and Polarimetry, Charlottesville, Virginia, USA, September 9-13, 2013.

K. Yip for the STAR Collaboration, “Physics with Tagged Forward Protons at RHIC”, Proceedings of the Low x workshop, Open Physics Journal, 2014, 1, (Suppl 1: M7) 52-56, Rehovot and Eilat, Israel, May 30 - June 4, 2013.

“Status and Plans for the Polarized Hadron Collider at RHIC”, M. Bai *et al.*, Proceedings of IPAC2013, Shanghai, China, May 12-17, 2013.

“RHIC Polarized Proton Operation for 2013”, V. H. Ranjbar *et al.*, Proceedings of IPAC2013, Shanghai, China, May 12-17, 2013.

“Beam optics and the pp2pp setup of the Star experiment at RHIC”, P. Pile *et al.*, Proceedings of the International Particle Accelerator Conference 2012, May 20-25, 2012.

“Beam Experiments towards High-intensity Beams in RHIC,”, C. Montag *et al.*, Proceedings of the International Particle Accelerator Conference 2012, May 20-25, 2012.

“RHIC Polarized Proton Operation in Run 12”, V. Schoefer *et al.*, Proceedings of the International Particle Accelerator Conference 2012, May 20-25, 2012.

K. Yip for the STAR Collaboration, “Elastic Proton-Proton Scattering at RHIC”, Proceedings of the New Trends in High-Energy Physics Conference, Alushta (Crimea), Sept. 3-10, 2011.

“RHIC Polarized Proton Status and Operation Highlights,”, H. Huang *et al.*, Proceedings of the 2nd International Particle Accelerator Conference, Sept. 4 - 9, 2011.

“RHIC Polarized Proton Operation”, H. Huang *et. al.*, Proceedings of the 2011 Particle Accelerator Conference, Mar. 28 - Apr. 1, 2011.

“Recent RHIC-motivated Polarized Proton Developments in the Brookhaven AGS”, V. Schoefer *et. al.*, Proceedings of the 2011 Particle Accelerator Conference, Mar. 28 - Apr. 1, 2011.

“Studies and proposed changes to the RHIC p-carbon polarimeters for the upcoming RUN-11”, Y. Makdisi *et. al.*, 19th International Spin Physics Symposium, Sept. 27 Oct. 2, 2010, J. Phys. Conf. Ser. 295 (2011) 012130.

K. Yip for the STAR Collaboration, “Physics with tagged forward protons at RHIC”, Hadron Structure ’09, Tatranská Štrba, Slovakia Republic, Aug. 29 - Sept. 3, 2009, Nuclear Physics B (Proc. Suppl.) 198 (2010) 136-139.

“AGS Polarized Proton Operation in Run 2009”, H. Huang *et. al.*, Proceedings of the 23rd Particle Accelerator Conference, 4-8 May, 2009.

“Beam Emittance Measurements in RHIC”, A. Zelenski *et. al.*, Proceedings of the 23rd Particle Accelerator Conference, 4-8 May, 2009.

“R&D Energy Recovery Linac at Brookhaven National Laboratory”, D. Beavis *et al.*, Proceedings of EPAC08, Genoa, Italy, 23-27 June, 2008.

“AGS POLARIZED PROTON OPERATION IN Run 8”, H. Huang *et al.*, Proceedings of EPAC08, Genoa, Italy, 23-27 June, 2008.

“p-Carbon CNI Polarimetry in the AGS and RHIC”, Y. Makdisi *et al.*, Proceedings of EPAC08, Genoa, Italy, 23-27 June, 2008.

“Multiple partial siberian snakes in the AGS”, L.A. Ahrens *et al.*, 2007, 4pp, 17th International Spin Physics Symposium (SPIN06), Kyoto, Japan, 2-7 Oct 2006. Published in AIP Conf.Proc.915:904-907,2007 and also in *Kyoto 2006, Spin physics* 904-907.

“Polarized proton acceleration in the AGS with two helical partial snakes”, H. Huang *et al.*, 2007, 4pp, 17th International Spin Physics Symposium (SPIN06), Kyoto, Japan, 2-7 Oct 2006. Published in AIP Conf.Proc.915:900-903,2007 and also in *Kyoto 2006, Spin physics* 900-903.

“The first measurement of the elastic p p-scattering spin parameters at $\sqrt{s} = 200\text{-GeV}$ ”, Stephen L. Buelmann *et al.*, 2007, 4pp., 17th International Spin Physics Symposium (SPIN06), Kyoto, Japan, 2-7 Oct 2006. Published in AIP Conf.Proc.915:677-680,2007 and also in *Kyoto 2006, Spin physics* 677-680.

“Status of the R&D Towards Electron Cooling of RHIC”, I. Ben-Zvi *et al.*, Proceedings of PAC07, Albuquerque, New Mexico, USA, pp. 1938-1940.

“Status of R&D Energy Recovery Linac at Brookhaven National Laboratory”, Vladimir N. Litvinenko *et al.*, Proceedings of PAC07, Albuquerque, New Mexico, USA, pp. 1347-1349.

“Overcoming Depolarizing Resonances in the AGS with Two Helical Partial Snakes”, H. Huang, L. Ahrens, M. Bai, K.A. Brown, C. Gardner, J.W. Glenn, F. Lin, A.U. Luccio, W.W. MacKay, T. Roser, S. Tepikian, N. Tsoupas, **K. Yip**, K. Zeno, Proceedings of PAC07, Albuquerque, New Mexico, USA, pp. 748-750.

K. Yip for CDF and DØ Collaborations, “ B_s Lifetime Difference Measurements from the Tevatron”, BEACH2006, Lancaster University, England, July 2-8, 2006, Nuclear Physics B (Proceedings Supplements) 167 (2007), pp. 141-145.

“Acceleration of polarized protons in the AGS with two helical partial snakes,”, H. Huang *et al.*, Proceedings of the 10th Biennial European Particle Accelerator Conference (EPAC06), Edinburgh, UK; June 26-30, 2006, pp. 273-275.

K. Yip for the pp2pp Collaboration, “Latest results from the pp2pp experiment at RHIC”, Low X Meeting, Sinaia, Romania, June 29-July 2, 2005.

“High current energy recovery Linac at BNL”, V. N. Litvinenko *et al.*, Proceedings of 2005 Particle Accelerator Conference (PAC 2005), Knoxville, Tennessee, May 16-20, 2005, IEEE, pp. 2242-2244, PAC-2005-RPPT032.

“Extremely High Current, High-Brightness Energy Recovery Linac”, I. Ben-Zvi *et al.*, Proceedings of 2005 Particle Accelerator Conference (PAC 2005), Knoxville, Tennessee, May 16-20, 2005, IEEE, pp. 1150-1152, JLAB-ACP-05-430, PAC-2005-RPPE009.

“The central track trigger of the D0 experiment”, Y. Hu *et al.*, IEEE Trans. Nucl. Sci. **51** (2004) 2368.

“First results from the central tracking trigger of the D0 experiment,” Y. Maravin *et al.*, IEEE Trans. Nucl. Sci. **51** (2004) 1848.

“High current energy recovery LINAC at BNL”, V.N. Litvinenko *et al.*, Procedings for the 26th International Free Electron Laser Conference and 11th FEL User Workshop, Trieste, Italy, 29 Aug - 3 Sep 2004, pp.570-573.

“Luminosity increases in gold-gold operation in RHIC”, W. Fischer *et. al.*,
Proceedings for the 9th European Particle Accelerator Conference, Lucerne, Switzerland, 5-9
July 2004, pp.917-919, BNL-72019-2004-CP.

“B Physics at the Tevatron Run II”, **K. Yip** for CDF and DØ Collaborations,
Proceedings for the 39th Rencontres de Moriond Conference on QCD and High Energy Hadronic
Interactions, La Thuile, Italy, 28 March - 4 April, 2004, hep-ex/0405024, BNL-72333-2004-CP.

“The DØ Central Track Trigger”,
J. Anderson, R. Angstadt, L. Babukhadia, M. Bhattacharjee, G. Blazey, F. Borcherding, B. Connelly, M. Cooke, S. Desai, D. Evans, P. Grannis, S. Grünendahl, Y. Hu, V. Jain, M. Johnson, S. Linn, J. Lizarazo, Y. Maravin, M. Martin, Y. Mutaf, C. Noding, J. Olsen, R. Ramirez-Gomez, S. Rapisarda, K. Stevenson, M. Tomoto, B. Vachon, T. Wijnen, N. Wilcer, G. Wilson, Q. Xu, **K. Yip**, FERMILAB-PUB-03-157-E, IEEE Trans. Nucl. Sci., vol. 51, pp.345-350, 2004.

“Heavy flavor physics at the Tevatron Run II”, **K. Yip** for CDF and DØ Collaborations,
Proceedings for the First International Workshop on Frontier Science: Charm, Beauty and CP,
Frascati, Italy, Oct., 2002.

“DØ Data Handling Operational Experience”, K. Yip *et al.*,
eConf C0303241:MOKT002,2003 [cs.dc/0306114], Proceedings for the 2003 Conference for Computing in High-Energy and Nuclear Physics (CHEP 03), La Jolla, California, Mar. 2003,

“DØ Run IIB Upgrade Technical Design Report”, V. M. Abazov *et al.* [D0 Collaboration],
FERMILAB-PUB-02-327-E, Dec 2002. 482pp.

“B Physics at the Tevatron: Run II and Beyond”,
K. Anikeev *et al.*, hep-ph/0201071 [FERMILAB-Pub-01/197],
<http://www-theory.lbl.gov/Brun2/report/>.

“The D0 Data Handling System”,
V. White, *et al.* (SAM Team), Proceedings for the International Conference on Computing in High Energy and Nuclear Physics in Beijing, P. R. China, September, 2001, pp. 20-28.

“Object Oriented Reconstruction and Particle Identification in the ATLAS Calorimeter”,
B. Caron, J. Collot, E. Frank, A. Gupta, P. Loch, H. Ma, F. Merritt, J.P. Meyer, S. Rajagopalan,
J. Schwindling, M. Wielers, **K. Yip**, Proceedings for the International Conference on Computing in High Energy and Nuclear Physics in Beijing, P. R. China, September, 2001, pp. 182-185.

“B Physics Prospect at Tevatron Run II”,
K. Yip for CDF and DØ Collaborations,
Conference Proceedings for the Second Tropical Workshop on Particle Physics and Cosmology,
San Juan, Puerto Rico, 1-6 May 2000.

“The Level 1 Central Tracking Trigger for the DØ Detector”,
F. Borcherding, S. Grünendahl, M. Johnson, M. Martin, and **K. Yip**
FERMILAB-CONF-99-175, IEEE Trans. Nucl. Sci., vol. 47, pp.381-385, 2000.

“A First Level Tracking Trigger for the Upgraded DØ Detector”,
F. Borcherding, S. Grünendahl, M. Johnson, M. Martin, J. Olsen and **K. Yip**
FERMILAB-CONF-99-132-E, IEEE Trans. Nucl. Sci., vol. 46, pp.359-364, 1999.

“Analyses of the Secondary Particle Radiation and the DNA Damage It Causes to Human Keratinocytes”, E. A. Lebel, Adam Rusek, M. B. Sivertz, **K. Yip**, K. H. Thompson and S. T. Tafrov, J. Radiat. Res., 52, 685-693 (2011).

“RHIC Polarimetry”, I. Nakagawa, I. Alekseev, A. Bazilevsky, A. Bravar, G. Bunce, S. Dhawan, K. O. Eyser, R. Gill, W. Haeberli, H. Huang, Y. Makdisi, A. Nass, H. Okada, E. Stephenson, D. N. Svirida, T. Wise, J. Wood, **K. Yip** and A. Zelenski, Eur. Phys. J. ST 162, 259 (2008).

“Calibration of centre-of-mass energies at LEP1 for precise measurements of Z properties”, [LEP Energy Working Group], R. Assmann, M. Böge, R. Billen, A. Blondel, E. Bravin, P. Bright-Thomas, T. Camporesi, B. Dehning, A. Drees, G. Duckeck, J. Gascon, M. Geitz, B. Goddard, C.M. Hawkes, K. Henrichsen, M.D. Hildreth, A. Hofmann, R. Jacobsen, M. Koratzinios, M. Lamont, E. Lancon, A. Lucotte, J. Mnich, G. Mugnai, E. Peschardt, M. Placidi, P. Puzo, G. Quast, P. Renton, L. Rolandi, H. Wachsmuth, P.S. Wells, J. Wenninger, G. Wilkinson, T. Wyatt, J. Yamartino, **K. Yip**, CERN-EP-98-040, Mar 1998, published in Eur. Phys. J. C6:187-223, 1999.

“An Efficient Method of Determining Diffusion Coefficients Using Eigenfunction Expansions”, **K. Yip**, K.Y. Tam and K.F.C. Yiu, J. Chem. Inf. Comput. Sci., 1997, 37, 367-371.

STAR Publications:

45 papers published in major and refereed international physics journals since 2009 with the STAR Collaboration BNL. (*See attachment.*)

DØ Publications:

353 papers published in major and refereed international physics journals since 1998 with the DØ Collaboration at Fermilab, USA. (*See attachment.*)

Daya Bay Publication:

F. P. An *et al.* [DAYA-BAY Collaboration], “Observation of electron-antineutrino disappearance at Daya Bay,” Phys. Rev. Lett. **108**, 171803 (2012) [arXiv:1203.1669 [hep-ex]].

pp2pp Publications:

2 papers published in “Physics Letters B” with the pp2pp Collaboration at BNL, USA. (*See attachment.*)

Atlas Publications:

2 papers published in “Nucl. Instrum. Meth. A” with the Atlas Collaboration at CERN,

Geneva, Switzerland. (*See attachment.*)

DELPHI Publications:

84 papers published in major and refereed international physics journals from 1994 to 1997 together with about 550 collaborators in the DELPHI experiment at CERN, Geneva, Switzerland. (*See attachment.*)

- [1] L. Adamczyk *et al.* [STAR Collaboration], Phys. Rev. Lett. **114**, no. 25, 252302 (2015) [arXiv:1504.02175 [nucl-ex]].
- [2] L. Adamczyk *et al.* [STAR Collaboration], Phys. Rev. C **92**, no. 2, 024912 (2015) [arXiv:1504.01317 [hep-ex]].
- [3] L. Adamczyk *et al.* [STAR Collaboration], Phys. Lett. B **747**, 265 (2015) [arXiv:1502.07652 [nucl-ex]].
- [4] L. Adamczyk *et al.* [STAR Collaboration], Phys. Lett. B **750**, 64 (2015) [arXiv:1501.05341 [hep-ex]].
- [5] L. Adamczyk *et al.* [STAR Collaboration], Phys. Lett. B **743**, 333 (2015) [arXiv:1412.8437 [nucl-ex]].
- [6] N. M. Abdelwahab *et al.* [STAR Collaboration], Phys. Rev. C **92**, no. 2, 021901 (2015) [arXiv:1410.5375 [nucl-ex]].
- [7] N. M. Abdelwahab *et al.* [STAR Collaboration], Phys. Lett. B **745**, 40 (2015) [arXiv:1409.2043 [nucl-ex]].
- [8] L. Adamczyk *et al.* [STAR Collaboration], Phys. Rev. C **91**, no. 3, 034905 (2015) [arXiv:1408.5017 [nucl-ex]].
- [9] L. Adamczyk *et al.* [STAR Collaboration], Phys. Rev. Lett. **114**, no. 2, 022301 (2015) [arXiv:1408.4360 [nucl-ex]].
- [10] L. Adamczyk *et al.* [STAR Collaboration], Phys. Rev. Lett. **115**, no. 9, 092002 (2015) [arXiv:1405.5134 [hep-ex]].
- [11] L. Adamczyk *et al.* [STAR Collaboration], Phys. Rev. C **92**, no. 1, 014904 (2015) [arXiv:1403.4972 [nucl-ex]].
- [12] L. Adamczyk *et al.* [STAR Collaboration], Phys. Rev. Lett. **113**, no. 14, 142301 (2014) [arXiv:1404.6185 [nucl-ex]].
- [13] L. Adamczyk *et al.* [STAR Collaboration], Phys. Rev. C **90**, no. 6, 064904 (2014) [arXiv:1402.1791 [nucl-ex]].
- [14] L. Adamczyk *et al.* [STAR Collaboration], Phys. Lett. B **739**, 180 (2014) [arXiv:1311.1621 [nucl-ex]].
- [15] L. Adamczyk *et al.* [STAR Collaboration], Phys. Rev. C **88**, no. 6, 064911 (2013) [arXiv:1302.3802 [nucl-ex]].
- [16] L. Adamczyk *et al.* [STAR Collaboration], “Measurement of longitudinal spin asymmetries for weak boson production in polarized proton-proton collisions at RHIC,” Phys. Rev. Lett. **113**, 072301 (2014) [arXiv:1404.6880 [nucl-ex]].
- [17] L. Adamczyk *et al.* [STAR Collaboration], “Beam-energy dependence of charge separation along the magnetic field in Au+Au collisions at RHIC,” Phys. Rev. Lett. **113**, 052302 (2014) [arXiv:1404.1433 [nucl-ex]].

- [18] H. Agakishiev *et al.* [STAR Collaboration], “Event-plane dependent dihadron correlations with harmonic v_n subtraction in Au+Au Collisions at $\sqrt{s_{NN}} = 200$ GeV,” Phys. Rev. C **89**, 041901 (2014) [arXiv:1404.1070 [nucl-ex]].
- [19] L. Adamczyk *et al.* [STAR Collaboration], “Beam energy dependence of moments of the net-charge multiplicity distributions in Au+Au collisions at RHIC,” Phys. Rev. Lett. **113**, 092301 (2014) [arXiv:1402.1558 [nucl-ex]].
- [20] L. Adamczyk *et al.* [STAR Collaboration], “Beam-Energy Dependence of Directed Flow of Protons, Antiprotons and Pions in Au+Au Collisions,” Phys. Rev. Lett. **112**, 162301 (2014) [arXiv:1401.3043 [nucl-ex]].
- [21] L. Adamczyk *et al.* [STAR Collaboration], “Dielectron Mass Spectra from Au+Au Collisions at $\sqrt{s_{NN}} = 200$ GeV,” Phys. Rev. Lett. **113**, 022301 (2014) [arXiv:1312.7397 [hep-ex]].
- [22] L. Adamczyk *et al.* [STAR Collaboration], “Suppression of Upsilon Production in d+Au and Au+Au Collisions at $\sqrt{s_{NN}} = 200$ GeV,” Phys. Lett. B **735**, 127 (2014) [arXiv:1312.3675 [nucl-ex]].
- [23] L. Adamczyk *et al.* [STAR Collaboration], “ J/ψ production at low p_T in Au+Au and Cu+Cu collisions at $\sqrt{s_{NN}} = 200$ GeV at STAR,” Phys. Rev. C **90**, 024906 (2014) [arXiv:1310.3563 [nucl-ex]].
- [24] L. Adamczyk *et al.* [STAR Collaboration], “Energy Dependence of Moments of Net-proton Multiplicity Distributions at RHIC,” Phys. Rev. Lett. **112**, no. 3, 032302 (2014) [arXiv:1309.5681 [nucl-ex]].
- [25] L. Adamczyk *et al.* [STAR Collaboration], “Neutral pion cross section and spin asymmetries at intermediate pseudorapidity in polarized proton collisions at $s=200\text{GeV}$,” Phys. Rev. D **89**, no. 1, 012001 (2014) [arXiv:1309.1800 [nucl-ex]].
- [26] L. Adamczyk *et al.* [STAR Collaboration], “Measurement of Charge Multiplicity Asymmetry Correlations in High Energy Nucleus-Nucleus Collisions at 200 GeV,” Phys. Rev. C **89**, 044908 (2014) [arXiv:1303.0901 [nucl-ex]].
- [27] L. Adamczyk *et al.* [STAR Collaboration], “Jet-Hadron Correlations in $\sqrt{s_{NN}} = 200$ GeV p+p and Central Au+Au Collisions,” Phys. Rev. Lett. **112**, 122301 (2014) [arXiv:1302.6184 [nucl-ex]].
- [28] L. Adamczyk *et al.* [STAR Collaboration], “Freeze-out dynamics via charged kaon femtoscopy in $\sqrt{s_{NN}} = 200$ GeV central Au+Au collisions,” Phys. Rev. C **88**, no. 3, 034906 (2013) [arXiv:1302.3168 [nucl-ex]].
- [29] L. Adamczyk *et al.* [STAR Collaboration], “System-size dependence of transverse momentum correlations at $\sqrt{s_{NN}} = 62.4$ and 200 GeV at the BNL Relativistic Heavy Ion Collider,” Phys. Rev. C **87**, no. 6, 064902 (2013) [arXiv:1301.6633 [nucl-ex]].
- [30] L. Adamczyk *et al.* [STAR Collaboration], “Elliptic flow of identified hadrons in Au+Au collisions at $\sqrt{s_{NN}} = 7.7\text{-}62.4$ GeV,” Phys. Rev. C **88**, 014902 (2013) [arXiv:1301.2348 [nucl-ex]].

- [31] L. Adamczyk *et al.* [STAR Collaboration], “Observation of an energy-dependent difference in elliptic flow between particles and anti-particles in relativistic heavy ion collisions,” Phys. Rev. Lett. **110**, 142301 (2013) [arXiv:1301.2347 [nucl-ex]].
- [32] L. Adamczyk *et al.* [STAR Collaboration], “Third Harmonic Flow of Charged Particles in Au+Au Collisions at $\sqrt{s_{NN}} = 200$ GeV,” Phys. Rev. C **88**, no. 1, 014904 (2013) [arXiv:1301.2187 [nucl-ex]].
- [33] L. Adamczyk *et al.* [STAR Collaboration], “Measurement of J/ψ Azimuthal Anisotropy in Au+Au Collisions at $\sqrt{s_{NN}} = 200$ GeV,” Phys. Rev. Lett. **111**, no. 5, 052301 (2013) [arXiv:1212.3304 [nucl-ex]].
- [34] L. Adamczyk *et al.* [STAR Collaboration], “Experimental studies of di-jets in Au + Au collisions using angular correlations with respect to back-to-back leading hadrons,” Phys. Rev. C **87**, no. 4, 044903 (2013) [arXiv:1212.1653 [nucl-ex]].
- [35] L. Adamczyk *et al.* [STAR Collaboration], “ J/ψ production at high transverse momenta in $p + p$ and Au+Au collisions at $\sqrt{s_{NN}} = 200$ GeV,” Phys. Lett. B **722**, 55 (2013) [arXiv:1208.2736 [nucl-ex]].
- [36] L. Adamczyk *et al.* [STAR Collaboration], “Inclusive charged hadron elliptic flow in Au + Au collisions at $\sqrt{s_{NN}} = 7.7 - 39$ GeV,” Phys. Rev. C **86** (2012) 054908 [arXiv:1206.5528 [nucl-ex]].
- [37] L. Adamczyk *et al.* [STAR Collaboration], “Single Spin Asymmetry A_N in Polarized Proton-Proton Elastic Scattering at $\sqrt{s} = 200$ GeV,” Phys. Lett. B **719** (2013) 62 [arXiv:1206.1928 [nucl-ex]].
- [38] L. Adamczyk *et al.* [STAR Collaboration], “Measurements of D^0 and D^* Production in $p+p$ Collisions at $\sqrt{s} = 200$ GeV,” Phys. Rev. D **86** (2012) 072013 [arXiv:1204.4244 [nucl-ex]].
- [39] G. Agakishiev *et al.* [STAR Collaboration], “Anomalous centrality evolution of two-particle angular correlations from Au-Au collisions at $\sqrt{s_{NN}} = 62$ and 200 GeV,” Phys. Rev. C **86** (2012) 064902 [arXiv:1109.4380 [nucl-ex]].
- [40] L. Adamczyk *et al.* [STAR Collaboration], “Transverse Single-Spin Asymmetry and Cross-Section for π^0 and η Mesons at Large Feynman- x in Polarized $p + p$ Collisions at $\sqrt{s} = 200$ GeV,” Phys. Rev. D **86**, 051101 (2012) [arXiv:1205.6826 [nucl-ex]].
- [41] L. Adamczyk *et al.* [STAR Collaboration], “Longitudinal and transverse spin asymmetries for inclusive jet production at mid-rapidity in polarized $p + p$ collisions at $\sqrt{s} = 200$ GeV,” Phys. Rev. D **86**, 032006 (2012) [arXiv:1205.2735 [nucl-ex]].
- [42] L. Adamczyk *et al.* [STAR Collaboration], “Di-electron spectrum at mid-rapidity in $p + p$ collisions at $\sqrt{s} = 200$ GeV,” Phys. Rev. C **86**, 024906 (2012) [arXiv:1204.1890 [nucl-ex]].
- [43] L. Adamczyk *et al.* [STAR Collaboration], “Directed Flow of Identified Particles in Au + Au Collisions at $\sqrt{s_{NN}} = 200$ GeV at RHIC,” Phys. Rev. Lett. **108**, 202301 (2012) [arXiv:1112.3930 [nucl-ex]].

- [44] L. Adamczyk *et al.* [STAR Collaboration], “Measurement of the $W \rightarrow e\nu$ and $Z/\gamma^* \rightarrow e^+e^-$ Production Cross Sections at Mid-rapidity in Proton-Proton Collisions at $\sqrt{s} = 500$ GeV,” Phys. Rev. D **85**, 092010 (2012) [arXiv:1112.2980 [hep-ex]].
- [45] G. Agakishiev *et al.* [STAR Collaboration], “Energy and system-size dependence of two- and four-particle v_2 measurements in heavy-ion collisions at RHIC and their implications on flow fluctuations and nonflow,” Phys. Rev. C **86**, 014904 (2012) [arXiv:1111.5637 [nucl-ex]].
- [46] G. Agakishiev *et al.* [STAR Collaboration], “System size and energy dependence of near-side di-hadron correlations,” Phys. Rev. C **85**, 014903 (2012) [arXiv:1110.5800 [nucl-ex]].
- [47] G. Agakishiev *et al.* [STAR Collaboration], “Identified hadron compositions in p+p and Au+Au collisions at high transverse momenta at $\sqrt{s_{NN}} = 200$ GeV,” Phys. Rev. Lett. **108**, 072302 (2012) [arXiv:1110.0579 [nucl-ex]].
- [48] G. Agakishiev *et al.* [STAR Collaboration], “Directed and elliptic flow of charged particles in Cu+Cu collisions at $\sqrt{s_{NN}} = 22.4$ GeV,” Phys. Rev. C **85**, 014901 (2012) [arXiv:1109.5446 [nucl-ex]].
- [49] G. Agakishiev *et al.* [STAR Collaboration], “ ρ^0 Photoproduction in AuAu Collisions at $\sqrt{s_{NN}}=62.4$ GeV with STAR,” Phys. Rev. C **85**, 014910 (2012) [arXiv:1107.4630 [nucl-ex]].
- [50] G. Agakishiev *et al.* [STAR Collaboration], “Strangeness Enhancement in Cu+Cu and Au+Au Collisions at $\sqrt{s_{NN}} = 200$ GeV,” Phys. Rev. Lett. **108**, 072301 (2012) [arXiv:1107.2955 [nucl-ex]].
- [51] H. Agakishiev *et al.* [STAR Collaboration], “Evolution of the differential transverse momentum correlation function with centrality in Au+Au collisions at $\sqrt{s_{NN}} = 200$ GeV,” Phys. Lett. B **704**, 467 (2011) [arXiv:1106.4334 [nucl-ex]].
- [52] H. Agakishiev *et al.* [STAR Collaboration], “Observation of the antimatter helium-4 nucleus,” Nature **473**, 353 (2011) [Erratum-ibid. **475**, 412 (2011)] [arXiv:1103.3312 [nucl-ex]].
- [53] M. M. Aggarwal *et al.* [STAR Collaboration], “ K^{*0} production in Cu+Cu and Au+Au collisions at $\sqrt{s_{NN}} = 62.4$ GeV and 200 GeV,” Phys. Rev. C **84**, 034909 (2011) [arXiv:1006.1961 [nucl-ex]].
- [54] B. I. Abelev *et al.* [STAR Collaboration], “Longitudinal scaling property of the charge balance function in Au + Au collisions at 200 GeV,” Phys. Lett. B **690**, 239 (2010) [arXiv:1002.1641 [nucl-ex]].
- [55] H. Agakishiev *et al.* [STAR Collaboration], “High p_T non-photonic electron production in $p + p$ collisions at $\sqrt{s} = 200$ GeV,” Phys. Rev. **D83**, 052006 (2011). [arXiv:1102.2611 [nucl-ex]].
- [56] H. Agakishiev *et al.* [STAR Collaboration], “Studies of di-jet survival and surface emission bias in Au+Au collisions via angular correlations with respect to back-to-back leading hadrons,” Phys. Rev. **C83**, 061901 (2011). [arXiv:1102.2669 [nucl-ex]].

- [57] M. M. Aggarwal *et al.* [The STAR Collaboration], “Strange and Multi-strange Particle Production in Au+Au Collisions at $\sqrt{s_{NN}} = 62.4$ GeV,” Phys. Rev. **C83**, 024901 (2011). [arXiv:1010.0142 [nucl-ex]].
- [58] M. M. Aggarwal *et al.* [STAR Collaboration], “Measurement of the parity-violating longitudinal single-spin asymmetry for W^\pm boson production in polarized proton-proton collisions at $\sqrt{s} = 500$ GeV,” Phys. Rev. Lett. **106**, 062002 (2011). [arXiv:1009.0326 [hep-ex]].
- [59] M. M. Aggarwal *et al.* [STAR Collaboration], “Scaling properties at freeze-out in relativistic heavy ion collisions,” Phys. Rev. **C83**, 034910 (2011). [arXiv:1008.3133 [nucl-ex]].
- [60] M. M. Aggarwal *et al.* [STAR Collaboration], “Measurement of the Bottom contribution to non-photonic electron production in $p + p$ collisions at $\sqrt{s}=200$ GeV,” Phys. Rev. Lett. **105**, 202301 (2010). [arXiv:1007.1200 [nucl-ex]].
- [61] M. M. Aggarwal *et al.* [STAR Collaboration], “Higher Moments of Net-proton Multiplicity Distributions at RHIC,” Phys. Rev. Lett. **105**, 022302 (2010). [arXiv:1004.4959 [nucl-ex]].
- [62] M. M. Aggarwal *et al.* [STAR Collaboration], “Azimuthal di-hadron correlations in d+Au and Au+Au collisions at $\sqrt{s_{NN}} = 200$ GeV from STAR,” Phys. Rev. **C82**, 024912 (2010). [arXiv:1004.2377 [nucl-ex]].
- [63] M. M. Aggarwal *et al.* [STAR Collaboration], “Pion femtoscopy in $p+p$ collisions at $\sqrt{s_{\text{c.m.}}} = 200$ GeV,” Phys. Rev. **C83**, 064905 (2011). [arXiv:1004.0925 [nucl-ex]].
- [64] B. I. Abelev *et al.* [STAR Collaboration], “ Υ cross section in $p + p$ collisions at $\sqrt{s} = 200$ GeV,” Phys. Rev. **D82**, 012004 (2010). [arXiv:1001.2745 [nucl-ex]].
- [65] B. I. Abelev *et al.* [STAR Collaboration], “Three-particle coincidence of the long range pseudorapidity correlation in high energy nucleus-nucleus collisions,” Phys. Rev. Lett. **105**, 022301 (2010). [arXiv:0912.3977 [hep-ex]].
- [66] B. I. Abelev *et al.* [STAR Collaboration], “Inclusive π^0 , eta, and direct photon production at high transverse momentum in $p+p$ and d+Au collisions at $\sqrt{s_{NN}} = 200$ GeV,” Phys. Rev. **C81**, 064904 (2010). [arXiv:0912.3838 [hep-ex]].
- [67] B. I. Abelev *et al.* [STAR Collaboration], “Studying Parton Energy Loss in Heavy-Ion Collisions via Direct-Photon and Charged-Particle Azimuthal Correlations,” Phys. Rev. **C82**, 034909 (2010). [arXiv:0912.1871 [nucl-ex]].
- [68] M. M. Aggarwal *et al.* [STAR Collaboration], “Balance Functions from Au+Au, d+Au, and $p + p$ Collisions at $\sqrt{s_{NN}} = 200$ GeV,” Phys. Rev. C **82**, 024905 (2010) [arXiv:1005.2307 [nucl-ex]].
- [69] B. I. Abelev *et al.* [The STAR Collaboration], “Charged and strange hadron elliptic flow in Cu+Cu collisions at $\sqrt{s_{NN}} = 62.4$ and 200 GeV,” Phys. Rev. C **81**, 044902 (2010) [arXiv:1001.5052 [nucl-ex]].
- [70] B. I. Abelev *et al.* [STAR Collaboration], “Observation of $\pi^+\pi^-\pi^+\pi^-$ Photoproduction in Ultra-Peripheral Heavy Ion Collisions at STAR,” Phys. Rev. C **81**, 044901 (2010) [arXiv:0912.0604 [nucl-ex]].

- [71] B. I. Abelev *et al.* [The STAR Collaboration], “Longitudinal double-spin asymmetry and cross section for inclusive neutral pion production at midrapidity in polarized proton collisions at $\sqrt{s} = 200$ GeV,” Phys. Rev. D **80**, 111108 (2009) [arXiv:0911.2773 [hep-ex]].
- [72] B. I. Abelev *et al.* [STAR Collaboration], “Spectra of identified high- p_T π^\pm and $p(\bar{p})$ in Cu+Cu collisions at $\sqrt{s_{NN}} = 200$ GeV,” Phys. Rev. C **81**, 054907 (2010) [arXiv:0911.3130 [nucl-ex]].
- [73] B. I. Abelev *et al.* [STAR Collaboration], “Longitudinal Spin Transfer to Λ and $\bar{\Lambda}$ Hyperons in Polarized Proton-Proton Collisions at $\sqrt{s} = 200$ GeV,” Phys. Rev. D **80**, 111102 (2009) [arXiv:0910.1428 [hep-ex]].
- [74] B. I. Abelev *et al.* [STAR Collaboration], “Long range rapidity correlations and jet production in high energy nuclear collisions,” Phys. Rev. C **80**, 064912 (2009) [arXiv:0909.0191 [nucl-ex]].
- [75] B. I. Abelev *et al.* [STAR Collaboration], “Observation of charge-dependent azimuthal correlations and possible local strong parity violation in heavy ion collisions,” Phys. Rev. C **81**, 054908 (2010) [arXiv:0909.1717 [nucl-ex]].
- [76] B. I. Abelev *et al.* [STAR Collaboration], “Azimuthal Charged-Particle Correlations and Possible Local Strong Parity Violation,” Phys. Rev. Lett. **103**, 251601 (2009) [arXiv:0909.1739 [nucl-ex]].
- [77] B. I. Abelev *et al.* [STAR Collaboration], “Identified particle production, azimuthal anisotropy, and interferometry measurements in Au+Au collisions at $\sqrt{s_{NN}} = 9.2$ GeV,” Phys. Rev. C **81**, 024911 (2010) [arXiv:0909.4131 [nucl-ex]].
- [78] B. I. Abelev *et al.* [STAR Collaboration], “Neutral Pion Production in Au+Au Collisions at $\sqrt{s_{NN}} = 200$ GeV,” Phys. Rev. C **80**, 044905 (2009) [arXiv:0907.2721 [nucl-ex]].
- [79] B. I. Abelev *et al.* [STAR Collaboration], “Center of mass energy and system-size dependence of photon production at forward rapidity at RHIC,” Nucl. Phys. A **832**, 134 (2010) [arXiv:0906.2260 [nucl-ex]].
- [80] B. I. Abelev *et al.* [STAR Collaboration], “ J/ψ production at high transverse momentum in p+p and Cu+Cu collisions at $\sqrt{s_{NN}}=200$ GeV,” Phys. Rev. C **80**, 041902 (2009) [arXiv:0904.0439 [nucl-ex]].

- [1] V. M. Abazov *et al.* [D0 Collaboration], Phys. Rev. D **92**, no. 5, 052007 (2015) [arXiv:1507.05666 [hep-ex]].
- [2] V. M. Abazov *et al.* [D0 Collaboration], Phys. Rev. D **91**, no. 7, 072008 (2015) [arXiv:1503.03917 [hep-ex]].
- [3] T. Aaltonen *et al.* [CDF and D0 Collaborations], Phys. Rev. Lett. **114**, no. 15, 151802 (2015) [arXiv:1502.00967 [hep-ex]].
- [4] V. M. Abazov *et al.* [D0 Collaboration], Phys. Rev. D **91**, no. 11, 112003 (2015) [arXiv:1501.07912 [hep-ex]].
- [5] V. M. Abazov *et al.* [D0 Collaboration], Phys. Rev. D **91**, no. 5, 052010 (2015) [arXiv:1501.05325 [hep-ex]].
- [6] V. M. Abazov *et al.* [D0 Collaboration], Phys. Lett. B **743**, 6 (2015) [arXiv:1412.5315 [hep-ex]].
- [7] V. M. Abazov *et al.* [D0 Collaboration], Phys. Rev. D **91**, no. 3, 032007 (2015) [Phys. Rev. D **91**, no. 7, 079901 (2015)] [arXiv:1412.2862 [hep-ex]].
- [8] V. M. Abazov *et al.* [D0 Collaboration], Phys. Rev. Lett. **114**, 051803 (2015) [arXiv:1411.3021 [hep-ex]].
- [9] V. M. Abazov *et al.* [D0 Collaboration], Phys. Rev. D **91**, no. 7, 072002 (2015) [arXiv:1410.8052 [hep-ex]].
- [10] V. M. Abazov *et al.* [D0 Collaboration], Phys. Rev. Lett. **114**, no. 6, 062001 (2015) [arXiv:1410.1568 [hep-ex]].
- [11] V. M. Abazov *et al.* [D0 Collaboration], Phys. Rev. D **90**, no. 11, 111102 (2014) [arXiv:1408.6848 [hep-ex]].
- [12] V. M. Abazov *et al.* [D0 Collaboration], Phys. Rev. Lett. **115**, no. 4, 041801 (2015) [arXiv:1408.5016 [hep-ex]].
- [13] V. M. Abazov *et al.* [D0 Collaboration], Phys. Rev. Lett. **113**, 161802 (2014) [arXiv:1407.6369 [hep-ex]].
- [14] V. M. Abazov *et al.* [D0 Collaboration], Phys. Rev. D **90**, no. 11, 111101 (2014) [arXiv:1406.2380 [hep-ex]].
- [15] V. M. Abazov *et al.* [D0 Collaboration], Phys. Rev. D **90**, 072011 (2014) [arXiv:1405.0421 [hep-ex]].
- [16] V. M. Abazov *et al.* [D0 Collaboration], Phys. Rev. D **90**, 072001 (2014) [arXiv:1403.1294 [hep-ex]].
- [17] V. M. Abazov *et al.* [D0 Collaboration], Phys. Rev. D **90**, no. 9, 092006 (2014) [arXiv:1401.5785 [hep-ex]].
- [18] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the Electric Charge of the Top Quark in $t\bar{t}$ Events,” Phys. Rev. D **90** (2014) 051101 [arXiv:1407.4837 [hep-ex]].

- [19] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the differential $\gamma + 2$ b -jet cross section and the ratio $\sigma(\gamma + 2$ b -jets)/ $\sigma(\gamma + b\text{-jet})$ in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV,” arXiv:1405.3964 [hep-ex].
- [20] V. M. Abazov *et al.* [D0 Collaboration], “Precision measurement of the top-quark mass in lepton+jets final states,” Phys. Rev. Lett. **113** (2014) 032002 [arXiv:1405.1756 [hep-ex]].
- [21] T. A. Aaltonen *et al.* [CDF and D0 Collaborations], “Observation of s-channel production of single top quarks at the Tevatron,” Phys. Rev. Lett. **112** (2014) 231803 [arXiv:1402.5126 [hep-ex]].
- [22] V. M. Abazov *et al.* [D0 Collaboration], “Double parton interactions in photon + 3 jet and photon + b/c jet + 2 jet events in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. D **89** (2014) 072006 [arXiv:1402.1550 [hep-ex]].
- [23] V. M. Abazov *et al.* [D0 Collaboration], “Electron and Photon Identification in the D0 Experiment,” Nucl. Instrum. Meth. A **750** (2014) 78 [arXiv:1401.0029 [hep-ex]].
- [24] V. M. Abazov *et al.* [D0 Collaboration], “Improved b quark jet identification at the D0 experiment,” Nucl. Instrum. Meth. A **763** (2014) 290 arXiv:1312.7623 [hep-ex].
- [25] V. M. Abazov *et al.* [D0 Collaboration], “Jet energy scale determination in the D0 experiment,” Nucl. Instrum. Meth. A **763** (2014) 442 arXiv:1312.6873 [hep-ex].
- [26] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the W Boson Production Charge Asymmetry in $p\bar{p} \rightarrow W + X \rightarrow e\nu + X$ Events at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. Lett. **112** (2014) 151803 [arXiv:1312.2895 [hep-ex]].
- [27] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the direct CP -violating charge asymmetry in $D_s^\pm \rightarrow \phi\pi^\pm$ decays,” Phys. Rev. Lett. **112** (2014) 111804 [arXiv:1312.0741 [hep-ex]].
- [28] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the W boson mass with the D0 detector,” Phys. Rev. D **89** (2014) 1, 012005 [arXiv:1310.8628 [hep-ex]].
- [29] V. M. Abazov *et al.* [D0 Collaboration], “Study of CP -violating charge asymmetries of single muons and like-sign dimuons in pp collisions,” Phys. Rev. D **89** (2014) 1, 012002 [arXiv:1310.0447 [hep-ex]].
- [30] T. A. Aaltonen *et al.* [CDF and D0 Collaborations], “Combination of measurements of the top-quark pair production cross section from the Tevatron Collider,” Phys. Rev. D **89** (2014) 072001 [arXiv:1309.7570 [hep-ex]].
- [31] V. M. Abazov *et al.* [D0 Collaboration], “Search for the $X(4140)$ state in $B+J/K+$ decays with the D0 detector,” Phys. Rev. D **89** (2014) 1, 012004 [arXiv:1309.6580 [hep-ex]].
- [32] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the muon charge asymmetry in $p\bar{p} \rightarrow W+X \rightarrow \mu\nu + X$ events at $\sqrt{s}=1.96$ TeV,” Phys. Rev. D **88** (2013) 091102 [arXiv:1309.2591 [hep-ex]].

- [33] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the asymmetry in angular distributions of leptons produced in dilepton $t\bar{t}$ final states in $p\bar{p}$ collisions at $\sqrt{s}=1.96\text{TeV}$,” Phys. Rev. D **88** (2013) 11, 112002 [arXiv:1308.6690 [hep-ex]].
- [34] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of associated production of Z bosons with charm quark jets in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. Lett. **112** (2014) 4, 042001 [arXiv:1308.4384 [hep-ex]].
- [35] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the differential cross section of photon plus jet production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. D **88** (2013) 072008 [arXiv:1308.2708 [hep-ex]].
- [36] T. A. Aaltonen *et al.* [CDF and D0 Collaborations], “Combination of CDF and D0 W -Boson Mass Measurements,” Phys. Rev. D **88** (2013) 5, 052018 [arXiv:1307.7627 [hep-ex]].
- [37] V. M. Abazov *et al.* [D0 Collaboration], “Muon reconstruction and identification with the Run II D0 detector,” Nucl. Instrum. Meth. A **737** (2014) 281 [arXiv:1307.5202 [hep-ex]].
- [38] V. M. Abazov *et al.* [D0 Collaboration], “Evidence for s-channel single top quark production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Lett. B **726** (2013) 656 [arXiv:1307.0731 [hep-ex]].
- [39] T. Aaltonen *et al.* [CDF and D0 Collaborations], “Higgs Boson Studies at the Tevatron,” Phys. Rev. D **88** (2013) 5, 052014 [arXiv:1303.6346 [hep-ex]].
- [40] V. M. Abazov *et al.* [D0 Collaboration], “Search for $ZH \rightarrow \ell^+\ell^- b\bar{b}$ production in 9.7 fb^{-1} of $p\bar{p}$ collisions with the D0 detector,” Phys. Rev. D **88** (2013) 5, 052010 [arXiv:1303.3276 [hep-ex]].
- [41] V. M. Abazov *et al.* [D0 Collaboration], “Combined search for the Higgs boson with the D0 experiment,” Phys. Rev. D **88** (2013) 5, 052011 [arXiv:1303.0823 [hep-ex]].
- [42] V. M. Abazov *et al.* [D0 Collaboration], “Studies of W boson plus jets production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. D **88** (2013) 9, 092001 [arXiv:1302.6508 [hep-ex]].
- [43] V. M. Abazov *et al.* [D0 Collaboration], “Search for Higgs boson production in trilepton and like-charge electron-muon final states with the D0 detector,” Phys. Rev. D **88** (2013) 5, 052009 [arXiv:1302.5723 [hep-ex]].
- [44] V. M. Abazov *et al.* [D0 Collaboration], “Search for the standard model Higgs boson in $\ell\nu + \text{jets}$ final states in 9.7 fb^{-1} of $p\bar{p}$ collisions with the D0 detector,” Phys. Rev. D **88** (2013) 5, 052008 [arXiv:1301.6122 [hep-ex]].
- [45] V. M. Abazov *et al.* [D0 Collaboration], “Search for a Higgs boson in diphoton final states with the D0 detector in 9.6 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. D **88** (2013) 5, 052007 [arXiv:1301.5358 [hep-ex]].
- [46] V. M. Abazov *et al.* [D0 Collaboration], “Search for Higgs boson production in oppositely charged dilepton and missing energy final states in 9.7 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. D **88** (2013) 5, 052006 [arXiv:1301.1243 [hep-ex]].
- [47] V. M. Abazov *et al.* [D0 Collaboration], “Search for the Higgs boson in lepton, tau and jets final states,” Phys. Rev. D **88** (2013) 5, 052005 [arXiv:1211.6993 [hep-ex]].

- [48] V. M. Abazov *et al.* [D0 Collaboration], “Search for anomalous quartic $WW\gamma\gamma$ couplings in dielectron and missing energy final states in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. D **88**, 012005 (2013) [arXiv:1305.1258 [hep-ex]].
- [49] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the ZZ production cross section and search for the standard model Higgs boson in the four lepton final state in ppbar collisions,” Phys. Rev. D **88**, 032008 (2013) [arXiv:1304.5422 [hep-ex]].
- [50] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of direct CP violation parameters in $B^\pm \rightarrow J/\psi K^\pm$ and $B^\pm \rightarrow J/\psi \pi^\pm$ decays with 10.4 fb^{-1} of Tevatron data,” Phys. Rev. Lett. **110**, 241801 (2013) [arXiv:1304.1655 [hep-ex]].
- [51] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the differential cross sections for isolated direct photon pair production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Lett. B **725**, 6 (2013) [arXiv:1301.4536 [hep-ex]].
- [52] V. M. Abazov *et al.* [D0 Collaboration], “Search for the rare decay $B_s \rightarrow \mu\mu$,” Phys. Rev. D **87**, 072006 (2013) [arXiv:1301.4507 [hep-ex]].
- [53] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the ratio of differential cross sections $\sigma(p\bar{p} \rightarrow Z + bjet)/\sigma(p\bar{p} \rightarrow Z + jet)$ in $p\bar{p}$ collisions at $\sqrt(s) = 1.96$ TeV,” Phys. Rev. D **87**, 092010 (2013) [arXiv:1301.2233 [hep-ex]].
- [54] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the combined rapidity and p_T dependence of dijet azimuthal decorrelations in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Lett. B **721**, 212 (2013) [arXiv:1212.1842 [hep-ex]].
- [55] V. M. Abazov *et al.* [D0 Collaboration], “Search for charged massive long-lived particles at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. D **87**, 052011 (2013) [arXiv:1211.2466 [hep-ex]].
- [56] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the differential photon + c -jet cross section and the ratio of differential photon+ c and photon+ b cross sections in proton-antiproton collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Lett. B **719**, 354 (2013) [arXiv:1210.5033 [hep-ex]].
- [57] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the $p\bar{p} \rightarrow W + b + X$ production cross section at $\sqrt{s} = 1.96$ TeV,” Phys. Lett. B **718**, 1314 (2013) [arXiv:1210.0627 [hep-ex]].
- [58] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the ratio of three-jet to two-jet cross sections in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Lett. B **720**, 6 (2013) [arXiv:1209.1140 [hep-ex]].
- [59] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the semileptonic charge asymmetry in B^0 meson mixing with the D0 detector,” Phys. Rev. D **86**, 072009 (2012) [arXiv:1208.5813 [hep-ex]].
- [60] V. M. Abazov *et al.* [D0 Collaboration], “Limits on anomalous trilinear gauge boson couplings from WW , WZ and $W\gamma$ production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Lett. B **718**, 451 (2012) [arXiv:1208.5458 [hep-ex]].

- [61] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of angular correlations of jets at $\sqrt{s} = 1.96$ TeV and determination of the strong coupling at high momentum transfers,” Phys. Lett. B **718**, 56 (2012) [arXiv:1207.4957 [hep-ex]].
- [62] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the semileptonic charge asymmetry using $B_s^0 \rightarrow D_s\mu X$ decays,” Phys. Rev. Lett. **110**, 011801 (2013) [arXiv:1207.1769 [hep-ex]].
- [63] T. Aaltonen *et al.* [CDF and D0 Collaborations], “Search for Neutral Higgs Bosons in Events with Multiple Bottom Quarks at the Tevatron,” Phys. Rev. D **86**, 091101 (2012) [arXiv:1207.2757 [hep-ex]].
- [64] T. Aaltonen *et al.* [CDF and D0 Collaborations], “Combination of the top-quark mass measurements from the Tevatron collider,” Phys. Rev. D **86**, 092003 (2012) [arXiv:1207.1069 [hep-ex]].
- [65] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of Leptonic Asymmetries and Top Quark Polarization in $t\bar{t}$ Production,” Phys. Rev. D **87**, 011103 (2013) [arXiv:1207.0364 [hep-ex]].
- [66] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the differential cross section $d\sigma/dt$ in elastic $p\bar{p}$ scattering at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. D **86**, 012009 (2012) [arXiv:1206.0687 [hep-ex]].
- [67] V. M. Abazov *et al.* [D0 Collaboration], “Study of the decay $B_s^0 \rightarrow J/\psi f_2'(1525)$ in $\mu^+\mu^-K^+K^-$ final states,” Phys. Rev. D **86**, 092011 (2012) [arXiv:1204.5723 [hep-ex]].
- [68] V. M. Abazov *et al.* [D0 Collaboration], “Search for $Z\gamma$ events with large missing transverse energy in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. D **86**, 071701 (2012) [arXiv:1203.5311 [hep-ex]].
- [69] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the top quark mass in $p\bar{p}$ collisions using events with two leptons,” Phys. Rev. D **86**, 051103 (2012) [arXiv:1201.5172 [hep-ex]].
- [70] V. M. Abazov *et al.* [D0 Collaboration], “Search for the standard model Higgs boson in associated WH production in 9.7 fb^{-1} of $p\bar{p}$ collisions with the D0 detector,” Phys. Rev. Lett. **109**, 121804 (2012) [arXiv:1208.0653 [hep-ex]].
- [71] V. M. Abazov *et al.* [D0 Collaboration], “Combined search for the standard model Higgs boson decaying to $b\bar{b}$ using the D0 Run II data set,” Phys. Rev. Lett. **109**, 121802 (2012) [arXiv:1207.6631 [hep-ex]].
- [72] T. Aaltonen *et al.* [CDF and D0 Collaborations], “Evidence for a particle produced in association with weak bosons and decaying to a bottom-antibottom quark pair in Higgs boson searches at the Tevatron,” Phys. Rev. Lett. **109**, 071804 (2012) [arXiv:1207.6436 [hep-ex]].
- [73] V. M. Abazov *et al.* [D0 Collaboration], “Search for the standard model Higgs boson in $ZH \rightarrow \ell^+\ell^-b\bar{b}$ production with the D0 detector in 9.7 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. Lett. **109**, 121803 (2012) [arXiv:1207.5819 [hep-ex]].

- [74] V. M. Abazov *et al.* [D0 Collaboration], “Search for the standard model Higgs boson in the $ZH \rightarrow \nu\bar{\nu}b\bar{b}$ channel in 9.5 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$,” Phys. Lett. B **716**, 285 (2012) [arXiv:1207.5689 [hep-ex]].
- [75] V. M. Abazov *et al.* [D0 Collaboration], “Search for Higgs boson production in oppositely charged dilepton and missing energy events in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$,” Phys. Rev. D **86**, 032010 (2012) [arXiv:1207.1041 [hep-ex]].
- [76] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the Λ_b^0 lifetime in the exclusive decay $\Lambda_b^0 \rightarrow J/\psi \Lambda^0$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$,” Phys. Rev. D **85**, 112003 (2012) [arXiv:1204.2340 [hep-ex]].
- [77] V. M. Abazov *et al.* [D0 Collaboration], “Combination of searches for anomalous top quark couplings with 5.4 fb^{-1} of $p\bar{p}$ collisions,” Phys. Lett. B **713**, 165 (2012) [arXiv:1204.2332 [hep-ex]].
- [78] V. M. Abazov *et al.* [D0 Collaboration], “Search for violation of Lorentz invariance in top quark pair production and decay,” Phys. Rev. Lett. **108**, 261603 (2012) [arXiv:1203.6106 [hep-ex]].
- [79] V. M. Abazov *et al.* [D0 Collaboration], “Observation of a narrow mass state decaying into $\Upsilon(1S) + \gamma$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$,” Phys. Rev. D **86**, 031103 (2012) [arXiv:1203.6034 [hep-ex]].
- [80] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the photon+ b -jet production differential cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$,” Phys. Lett. B **714**, 32 (2012) [arXiv:1203.5865 [hep-ex]].
- [81] V. M. Abazov *et al.* [D0 Collaboration], “Search for the standard model Higgs boson in tau lepton pair final states,” Phys. Lett. B **714**, 237 (2012) [arXiv:1203.4443 [hep-ex]].
- [82] V. M. Abazov *et al.* [D0 Collaboration], “Search for WH associated production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$,” Phys. Rev. D **86**, 032005 (2012) [arXiv:1203.1082 [hep-ex]].
- [83] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the W Boson Mass with the D0 Detector,” Phys. Rev. Lett. **108**, 151804 (2012) [arXiv:1203.0293 [hep-ex]].
- [84] T. Aaltonen *et al.* [CDF and D0 Collaborations], “Combination of CDF and D0 measurements of the W boson helicity in top quark decays,” Phys. Rev. D **85**, 071106 (2012) [arXiv:1202.5272 [hep-ex]].
- [85] V. M. Abazov *et al.* [D0 Collaboration], “Search for pair production of the scalar top quark in muon+tau final states,” Phys. Lett. B **710**, 578 (2012) [arXiv:1202.1978 [hep-ex]].
- [86] V. M. Abazov *et al.* [D0 Collaboration], “A measurement of the WZ and ZZ production cross sections using leptonic final states in 8.6 fb^{-1} of $p\bar{p}$ collisions,” Phys. Rev. D **85**, 112005 (2012) [arXiv:1201.5652 [hep-ex]].
- [87] V. M. Abazov *et al.* [D0 Collaboration], “An Improved determination of the width of the top quark,” Phys. Rev. D **85**, 091104 (2012) [arXiv:1201.4156 [hep-ex]].

- [88] V. M. Abazov *et al.* [D0 Collaboration], “Search for Higgs bosons of the minimal supersymmetric standard model in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Lett. B **710**, 569 (2012) [arXiv:1112.5431 [hep-ex]].
- [89] V. M. Abazov *et al.* [D0 Collaboration], “Search for universal extra dimensions in $p\bar{p}$ collisions,” Phys. Rev. Lett. **108**, 131802 (2012) [arXiv:1112.4092 [hep-ex]].
- [90] V. M. Abazov *et al.* [D0 Collaboration], “Measurements of WW and WZ production in $W + \text{jets}$ final states in $p\bar{p}$ collisions,” Phys. Rev. Lett. **108**, 181803 (2012) [arXiv:1112.0536 [hep-ex]].
- [91] V. M. Abazov *et al.* [D0 Collaboration], “ $Z\gamma$ production and limits on anomalous $ZZ\gamma$ and $Z\gamma\gamma$ couplings in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. D **85**, 052001 (2012) [arXiv:1111.3684 [hep-ex]].
- [92] V. M. Abazov *et al.* [D0 Collaboration], “Search for a Narrow $t\bar{t}$ Resonance in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. D **85**, 051101 (2012) [arXiv:1111.1271 [hep-ex]].
- [93] V. M. Abazov *et al.* [D0 Collaboration], “Search for anomalous Wtb couplings in single top quark production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Lett. B **708**, 21 (2012) [arXiv:1110.4592 [hep-ex]].
- [94] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the relative branching ratio of $B_s^0 \rightarrow J/\psi f_0(980)$ to $B_s^0 \rightarrow J/\psi\phi$,” Phys. Rev. D **85**, 011103 (2012) [arXiv:1110.4272 [hep-ex]].
- [95] V. M. Abazov *et al.* [D0 Collaboration], “Evidence for spin correlation in $t\bar{t}$ production,” Phys. Rev. Lett. **108**, 032004 (2012) [arXiv:1110.4194 [hep-ex]].
- [96] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the inclusive jet cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. D **85**, 052006 (2012) [arXiv:1110.3771 [hep-ex]].
- [97] V. M. Abazov *et al.* [D0 Collaboration], “A Search for charged massive long-lived particles,” Phys. Rev. Lett. **108**, 121802 (2012) [arXiv:1110.3302 [hep-ex]].
- [98] V. M. Abazov *et al.* [D0 Collaboration], “ $W\gamma$ production and limits on anomalous $WW\gamma$ couplings in $p\bar{p}$ collisions,” Phys. Rev. Lett. **107**, 241803 (2011) [arXiv:1109.4432 [hep-ex]].
- [99] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the CP-violating phase $\phi_s^{J/\psi\phi}$ using the flavor-tagged decay $B_s^0 \rightarrow J/\psi\phi$ in 8 fb^{-1} of $p\bar{p}$ collisions,” Phys. Rev. D **85**, 032006 (2012) [arXiv:1109.3166 [hep-ex]].
- [100] V. M. Abazov *et al.* [D0 Collaboration], “Model independent search for new phenomena in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. D **85**, 092015 (2012) [arXiv:1108.5362 [hep-ex]].
- [101] V. M. Abazov *et al.* [D0 Collaboration], “Measurements of single top quark production cross sections and $|V_{tb}|$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. D **84**, 112001 (2011) [arXiv:1108.3091 [hep-ex]].
- [102] V. M. Abazov *et al.* [D0 Collaboration], “Forward-backward asymmetry in top quark-antiquark production,” Phys. Rev. D **84**, 112005 (2011) [arXiv:1107.4995 [hep-ex]].

- [103] V. M. Abazov *et al.* [D0 Collaboration], “Search for the standard model and a fermiophobic Higgs boson in diphoton final states,” Phys. Rev. Lett. **107**, 151801 (2011) [arXiv:1107.4587 [hep-ex]].
- [104] V. M. Abazov *et al.* [D0 Collaboration], “Search for first generation leptoquark pair production in the electron + missing energy + jets final state,” Phys. Rev. D **84**, 071104 (2011) [arXiv:1107.1849 [hep-ex]].
- [105] V. M. Abazov *et al.* [D0 Collaboration], “Search for associated Higgs boson production using like charge dilepton events in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. D **84**, 092002 (2011) [arXiv:1107.1268 [hep-ex]].
- [106] V. M. Abazov *et al.* [D0 Collaboration], “Search for Higgs bosons decaying to $\tau\tau$ pairs in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Lett. B **707**, 323 (2012) [arXiv:1106.4555 [hep-ex]].
- [107] V. M. Abazov *et al.* [D0 Collaboration], “Search for doubly-charged Higgs boson pair production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. Lett. **108**, 021801 (2012) [arXiv:1106.4250 [hep-ex]].
- [108] V. M. Abazov *et al.* [D0 Collaboration], “Measurements of inclusive W +jets production rates as a function of jet transverse momentum in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Lett. B **705**, 200 (2011) [arXiv:1106.1457 [hep-ex]].
- [109] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the $t\bar{t}$ production cross section using dilepton events in $p\bar{p}$ collisions,” Phys. Lett. B **704**, 403 (2011) [arXiv:1105.5384 [hep-ex]].
- [110] V. M. Abazov *et al.* [D0 Collaboration], “Model-independent measurement of t -channel single top quark production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Lett. B **705**, 313 (2011) [arXiv:1105.2788 [hep-ex]].
- [111] V. M. Abazov *et al.* [D0 Collaboration], “Search for a fourth generation t' quark in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. Lett. **107**, 082001 (2011) [arXiv:1104.4522 [hep-ex]].
- [112] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of three-jet differential cross sections $d\sigma_{3\text{jet}}/dM_{3\text{jet}}$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Lett. B **704**, 434 (2011) [arXiv:1104.1986 [hep-ex]].
- [113] V. M. Abazov *et al.* [D0 Collaboration], “High mass exclusive diffractive dijet production in $\mathbf{p}\bar{\mathbf{p}}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Lett. B **705**, 193 (2011) [arXiv:1009.2444 [hep-ex]].
- [114] V. M. Abazov *et al.* [D0 Collaboration], “Search for CP violation in semileptonic B_s decays,” Phys. Rev. D **82**, 012003 (2010) [Erratum-ibid. D **83**, 119901 (2011)] [arXiv:0904.3907 [hep-ex]].
- [115] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the anomalous like-sign dimuon charge asymmetry with 9 fb^{-1} of $p\bar{p}$ collisions,” Phys. Rev. **D84**, 052007 (2011). [arXiv:1106.6308 [hep-ex]].

- [116] V. M. Abazov *et al.* [D0 Collaboration], “Precision measurement of the ratio $B(t \rightarrow Wb)/B(t \rightarrow Wq)$ and Extraction of V_{tb} ,” Phys. Rev. Lett. **107**, 121802 (2011). [arXiv:1106.5436 [hep-ex]].
- [117] V. M. Abazov *et al.* [D0 Collaboration], “Search for neutral Minimal Supersymmetric Standard Model Higgs bosons decaying to tau pairs produced in association with b quarks in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. Lett. **107**, 121801 (2011). [arXiv:1106.4885 [hep-ex]].
- [118] V. M. Abazov *et al.* [D0 Collaboration], “Bounds on an anomalous dijet resonance in $W+jets$ production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. Lett. **107**, 011804 (2011). [arXiv:1106.1921 [hep-ex]].
- [119] V. M. Abazov *et al.* [D0 Collaboration], “Direct measurement of the mass difference between top and antitop quarks,” Phys. Rev. **D84**, 052005 (2011). [arXiv:1106.2063 [hep-ex]].
- [120] V. M. Abazov *et al.* [The D0 Collaboration], “Precise measurement of the top-quark mass from lepton+jets events at D0,” Phys. Rev. **D84**, 032004 (2011). [arXiv:1105.6287 [hep-ex]].
- [121] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the production fraction times branching fraction $f(b \rightarrow \Lambda_b) \cdot \mathcal{B}(\Lambda_b \rightarrow J/\psi \Lambda)$,” Phys. Rev. **D84**, 031102 (2011). [arXiv:1105.0690 [hep-ex]].
- [122] V. M. Abazov *et al.* [D0 Collaboration], “Precise measurement of the top quark mass in the dilepton channel at D0,” Phys. Rev. Lett. **107**, 082004 (2011). [arXiv:1105.0320 [hep-ex]].
- [123] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of spin correlation in $t\bar{t}$ production using a matrix element approach,” Phys. Rev. Lett. **107**, 032001 (2011). [arXiv:1104.5194 [hep-ex]].
- [124] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of $\sin^2 \theta_{\text{eff}}^\ell$ and Z -light quark couplings using the forward-backward charge asymmetry in $p\bar{p} \rightarrow Z/\gamma^* \rightarrow e^+e^-$ events with $\mathcal{L} = 5.0 \text{ fb}^{-1}$ at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. **D84**, 012007 (2011). [arXiv:1104.4590 [hep-ex]].
- [125] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the ZZ production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. **D84**, 011103 (2011). [arXiv:1104.3078 [hep-ex]].
- [126] V. M. Abazov *et al.* [D0 Collaboration], “Determination of the pole and $\overline{\text{MS}}$ masses of the top quark from the $t\bar{t}$ cross section,” Phys. Lett. **B703**, 422-427 (2011). [arXiv:1104.2887 [hep-ex]].
- [127] V. M. Abazov *et al.* [D0 Collaboration], “Search for flavor changing neutral currents in decays of top quarks,” Phys. Lett. **B701**, 313-320 (2011). [arXiv:1103.4574 [hep-ex]].
- [128] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of spin correlation in $t\bar{t}$ production using dilepton final states,” Phys. Lett. **B702**, 16-23 (2011). [arXiv:1103.1871 [hep-ex]].

- [129] V. M. Abazov *et al.* [The D0 Collaboration], “Search for the Standard Model Higgs Boson in the $H \rightarrow WW \rightarrow \ell\nu q'\bar{q}$ Decay Channel,” Phys. Rev. Lett. **106**, 171802 (2011). [arXiv:1101.6079 [hep-ex]].
- [130] V. M. Abazov *et al.* [D0 Collaboration], “Azimuthal decorrelations and multiple parton interactions in photon+2 jet and photon+3 jet events in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. **D83**, 052008 (2011). [arXiv:1101.1509 [hep-ex]].
- [131] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the top quark pair production cross section in the lepton+jets channel in proton-antiproton collisions at $\sqrt{s}=1.96$ TeV,” Phys. Rev. **D84**, 012008 (2011). [arXiv:1101.0124 [hep-ex]].
- [132] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of color flow in $t\bar{t}$ events from $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. **D83**, 092002 (2011). [arXiv:1101.0648 [hep-ex]].
- [133] V. M. Abazov *et al.* [D0 Collaboration], “Search for $W' \rightarrow tb$ resonances with left- and right-handed couplings to fermions,” Phys. Lett. **B699**, 145-150 (2011). [arXiv:1101.0806 [hep-ex]].
- [134] V. M. Abazov *et al.* [D0 Collaboration], “Search for WH associated production in 5.3 fb^{-1} of $p\bar{p}$ collisions at the Fermilab Tevatron,” Phys. Lett. **B698**, 6-13 (2011). [arXiv:1012.0874 [hep-ex]].
- [135] V. M. Abazov *et al.* [D0 Collaboration], “Search for resonant WW and WZ production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. Lett. **107**, 011801 (2011). [arXiv:1011.6278 [hep-ex]].
- [136] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the W boson helicity in top quark decays using 5.4 fb^{-1} of $p\bar{p}$ collision data,” Phys. Rev. **D83**, 032009 (2011). [arXiv:1011.6549 [hep-ex]].
- [137] V. M. Abazov *et al.* [D0 Collaboration], “Search for neutral Higgs bosons in the multi- b -jet topology in 5.2 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Lett. **B698**, 97-104 (2011). [arXiv:1011.1931 [hep-ex]].
- [138] V. M. Abazov *et al.* [D0 Collaboration], “A measurement of the ratio of inclusive cross sections $\sigma(p\bar{p} \rightarrow Z + b \text{ jet})/\sigma(p\bar{p} \rightarrow Z + \text{jet})$ at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. **D83**, 031105 (2011). [arXiv:1010.6203 [hep-ex]].
- [139] V. M. Abazov *et al.* [D0 Collaboration], “Search for single vector-like quarks in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. Lett. **106**, 081801 (2011). [arXiv:1010.1466 [hep-ex]].
- [140] V. M. Abazov *et al.* [D0 Collaboration], “Precise study of the Z/γ^* boson transverse momentum distribution in $p\bar{p}$ collisions using a novel technique,” Phys. Rev. Lett. **106**, 122001 (2011). [arXiv:1010.0262 [hep-ex]].
- [141] V. M. Abazov *et al.* [D0 Collaboration], “Determination of the width of the top quark,” Phys. Rev. Lett. **106**, 022001 (2011). [arXiv:1009.5686 [hep-ex]].

- [142] V. M. Abazov *et al.* [D0 Collaboration], “Search for pair production of the scalar top quark in the electron+muon final state,” Phys. Lett. **B696**, 321-327 (2011). [arXiv:1009.5950 [hep-ex]].
- [143] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of $t\bar{t}$ production in the tau + jets topology using $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. **D82**, 071102 (2010). [arXiv:1008.4284 [hep-ex]].
- [144] V. M. Abazov *et al.* [D0 Collaboration], “Search for $ZH \rightarrow \ell^+\ell^-b\bar{b}$ production in 4.2 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. Lett. **105**, 251801 (2010). [arXiv:1008.3564 [hep-ex]].
- [145] V. M. Abazov *et al.* [D0 Collaboration], “Search for New Fermions (’Quirks’) at the Fermilab Tevatron Collider,” Phys. Rev. Lett. **105**, 211803 (2010). [arXiv:1008.3547 [hep-ex]].
- [146] V. M. Abazov *et al.* [D0 Collaboration], “Search for events with leptonic jets and missing transverse energy in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. Lett. **105**, 211802 (2010). [arXiv:1008.3356 [hep-ex]].
- [147] V. M. Abazov *et al.* [D0 Collaboration], “Search for a heavy neutral gauge boson in the dielectron channel with 5.4 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Lett. **B695**, 88-94 (2011). [arXiv:1008.2023 [hep-ex]].
- [148] V. M. Abazov *et al.* [D0 Collaboration], “Search for diphoton events with large missing transverse energy in 6.3 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. Lett. **105**, 221802 (2010). [arXiv:1008.2133 [hep-ex]].
- [149] V. M. Abazov *et al.* [D0 Collaboration], “Search for sneutrino production in $e\mu$ final states in 5.3 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. Lett. **105**, 191802 (2010). [arXiv:1007.4835 [hep-ex]].
- [150] V. M. Abazov *et al.* [D0 Collaboration], “Search for flavor changing neutral currents via quark-gluon couplings in single top quark production using 2.3 fb^{-1} of $p\bar{p}$ collisions,” Phys. Lett. **B693**, 81-87 (2010). [arXiv:1006.3575 [hep-ex]].
- [151] V. M. Abazov *et al.* [D0 Collaboration], “Search for the rare decay $B_s^0 \rightarrow \mu^+\mu^-$,” Phys. Lett. **B693**, 539-544 (2010). [arXiv:1006.3469 [hep-ex]].
- [152] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the $WZ \rightarrow \ell\nu\ell\ell$ cross section and limits on anomalous triple gauge couplings in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Lett. **B695**, 67-73 (2011). [arXiv:1006.0761 [hep-ex]].
- [153] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the normalized $Z/\gamma^* \rightarrow \mu^+\mu^-$ transverse momentum distribution in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Lett. **B693**, 522-530 (2010). [arXiv:1006.0618 [hep-ex]].
- [154] V. M. Abazov *et al.* [D0 Collaboration], “Search for scalar bottom quarks and third-generation leptoquarks in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Lett. **B693**, 95-101 (2010). [arXiv:1005.2222 [hep-ex]].

- [155] T. Aaltonen *et al.* [CDF and D0 Collaboration], “Combined Tevatron upper limit on $gg \rightarrow H \rightarrow W^+W^-$ and constraints on the Higgs boson mass in fourth-generation fermion models,” Phys. Rev. **D82**, 011102 (2010). [arXiv:1005.3216 [hep-ex]].
- [156] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the dijet invariant mass cross section in proton anti-proton collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Lett. **B693**, 531-538 (2010). [arXiv:1002.4594 [hep-ex]].
- [157] V. M. Abazov *et al.* [The D0 Collaboration], “b-Jet Identification in the D0 Experiment,” Nucl. Instrum. Meth. **A620**, 490-517 (2010). [arXiv:1002.4224 [hep-ex]].
- [158] V. M. Abazov *et al.* [D0 Collaboration], “Dependence of the $t\bar{t}$ production cross section on the transverse momentum of the top quark,” Phys. Lett. **B693**, 515-521 (2010). [arXiv:1001.1900 [hep-ex]].
- [159] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the $t\bar{t}$ cross section using high-multiplicity jet events,” Phys. Rev. **D82**, 032002 (2010). [arXiv:0911.4286 [hep-ex]].
- [160] V. M. Abazov *et al.* [D0 Collaboration], “Evidence for an anomalous like-sign dimuon charge asymmetry,” Phys. Rev. Lett. **105**, 081801 (2010) [arXiv:1007.0395 [hep-ex]].
- [161] V. M. Abazov *et al.* [D0 Collaboration], “Evidence for an anomalous like-sign dimuon charge asymmetry,” Phys. Rev. D **82**, 032001 (2010) [arXiv:1005.2757 [hep-ex]].
- [162] V. M. Abazov *et al.* [The D0 Collaboration], “Search for Randall-Sundrum gravitons in the dielectron and diphoton final states with 5.4 fb^{-1} of data from $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. Lett. **104**, 241802 (2010) [arXiv:1004.1826 [hep-ex]].
- [163] V. M. Abazov *et al.* [The D0 Collaboration], “Measurement of direct photon pair production cross sections in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Lett. B **690**, 108 (2010) [arXiv:1002.4917 [hep-ex]].
- [164] T. Aaltonen *et al.* [CDF and D0 Collaborations], “Combination of Tevatron searches for the standard model Higgs boson in the W+W- decay mode,” Phys. Rev. Lett. **104**, 061802 (2010) [arXiv:1001.4162 [hep-ex]].
- [165] V. M. Abazov *et al.* [The D0 Collaboration], “Search for Higgs boson production in dilepton and missing energy final states with 5.4 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. Lett. **104**, 061804 (2010) [arXiv:1001.4481 [hep-ex]].
- [166] V. M. Abazov *et al.* [D0 Collaboration], “Search for a resonance decaying into WZ boson pairs in $p\bar{p}$ collisions,” Phys. Rev. Lett. **104**, 061801 (2010) [arXiv:0912.0715 [hep-ex]].
- [167] V. M. Abazov *et al.* [D0 Collaboration], “Search for the associated production of a b quark and a neutral supersymmetric Higgs boson which decays to tau pairs,” Phys. Rev. Lett. **104**, 151801 (2010) [arXiv:0912.0968 [hep-ex]].
- [168] V. M. Abazov *et al.* [D0 Collaboration], “Search for single top quarks in the tau+jets channel using 4.8 fb^{-1} of $p\bar{p}$ collision data,” Phys. Lett. B **690**, 5 (2010) [arXiv:0912.1066 [hep-ex]].

- [169] V. M. Abazov *et al.* [D0 Collaboration], “Double parton interactions in photon+3 jet events in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV,” Phys. Rev. D **81**, 052012 (2010) [arXiv:0912.5104 [hep-ex]].
- [170] V. M. Abazov *et al.* [D0 Collaboration], “Search for the standard model Higgs boson in the $ZH \rightarrow v\bar{v}b\bar{b}$ channel in 5.2 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV,” Phys. Rev. Lett. **104**, 071801 (2010) [arXiv:0912.5285 [hep-ex]].
- [171] V. M. Abazov *et al.* [D0 Collaboration], “Determination of the strong coupling constant from the inclusive jet cross section in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV,” Phys. Rev. D **80**, 111107 (2009) [arXiv:0911.2710 [hep-ex]].
- [172] V. M. Abazov *et al.* [D0 Collaboration], “Direct measurement of the W boson width,” Phys. Rev. Lett. **103**, 231802 (2009) [arXiv:0909.4814 [hep-ex]].
- [173] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the W boson mass,” Phys. Rev. Lett. **103**, 141801 (2009) [arXiv:0908.0766 [hep-ex]].
- [174] V. M. Abazov *et al.* [D0 Collaboration], “Search for charged Higgs bosons in top quark decays,” Phys. Lett. B **682**, 278 (2009) [arXiv:0908.1811 [hep-ex]].
- [175] V. M. Abazov *et al.* [D0 Collaboration], “Search for pair production of first-generation leptoquarks in p pbar collisions at $\sqrt{s}=1.96$ TeV,” Phys. Lett. B **681**, 224 (2009) [arXiv:0907.1048 [hep-ex]].
- [176] V. M. Abazov *et al.* [D0 Collaboration], “A novel method for modeling the recoil in W boson events at hadron collider,” Nucl. Instrum. Meth. A **609**, 250 (2009) [arXiv:0907.3713 [hep-ex]].
- [177] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the t-channel single top quark production cross section,” Phys. Lett. B **682**, 363 (2010) [arXiv:0907.4259 [hep-ex]].
- [178] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of $Z/\gamma^* + \text{jet} + X$ angular distributions in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Lett. B **682**, 370 (2010) [arXiv:0907.4286 [hep-ex]].
- [179] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of trilinear gauge boson couplings from WW + WZ to $l\nu jj$ events in pp-bar collisions at $\sqrt{s}=1.96$ TeV,” Phys. Rev. D **80**, 053012 (2009) [arXiv:0907.4398 [hep-ex]].
- [180] V. M. Abazov *et al.* [D0 Collaboration], “Direct measurement of the mass difference between top and antitop quarks,” Phys. Rev. Lett. **103**, 132001 (2009) [arXiv:0906.1172 [hep-ex]].
- [181] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of dijet angular distributions at $\text{sqrt}s=1.96\text{TeV}$ and searches for quark compositeness and extra spatial dimensions,” Phys. Rev. Lett. **103**, 191803 (2009) [arXiv:0906.4819 [hep-ex]].
- [182] V. M. Abazov *et al.* [D0 Collaboration], “Search for charged Higgs bosons in decays of top quarks,” Phys. Rev. D **80**, 051107 (2009) [arXiv:0906.5326 [hep-ex]].

- [183] V. M. Abazov *et al.* [D0 Collaboration], “Search for squark production in events with jets, hadronically decaying tau leptons and missing transverse energy at $\sqrt{s}=1.96$ TeV,” Phys. Lett. B **680**, 24 (2009) [arXiv:0905.4086 [hep-ex]].
- [184] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the WW production cross section with dilepton final states in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV and limits on anomalous trilinear gauge couplings,” Phys. Rev. Lett. **103**, 191801 (2009) [arXiv:0904.0673 [hep-ex]].
- [185] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the top quark mass in final states with two leptons,” Phys. Rev. D **80**, 092006 (2009) [arXiv:0904.3195 [hep-ex]].
- [186] V. M. Abazov *et al.* [D0 Collaboration], “Combination of ttbar cross section measurements and constraints on the mass of the top quark and its decays into charged Higgs bosons,” Phys. Rev. D **80**, 071102 (2009) [arXiv:0903.5525 [hep-ex]].
- [187] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the $t\bar{t}$ production cross section and top quark mass extraction using dilepton events in ppbar collisions,” Phys. Lett. B **679**, 177 (2009) [arXiv:0901.2137 [hep-ex]].
- [188] V. M. Abazov *et al.* [D0 Collaboration], “Search for associated production of charginos and neutralinos in the trilepton final state using 2.3 fb^{-1} of data,” Phys. Lett. B **680**, 34 (2009) [arXiv:0901.0646 [hep-ex]].
- [189] V. M. Abazov *et al.* [D0 Collaboration], “Search for the lightest scalar top quark in events with two leptons in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV,” Phys. Lett. B **675**, 289 (2009) [arXiv:0811.0459 [hep-ex]].
- [190] V. M. Abazov *et al.* [D0 Collaboration], “Search for Resonant Pair Production of long-lived particles decaying to $b\bar{b}$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV,” Phys. Rev. Lett. **103**, 071801 (2009) [arXiv:0906.1787 [hep-ex]].
- [191] V. M. Abazov *et al.* [D0 Collaboration], “Search for dark photons from supersymmetric hidden valleys,” Phys. Rev. Lett. **103**, 081802 (2009) [arXiv:0905.1478 [hep-ex]].
- [192] V. M. Abazov *et al.* [D0 Collaboration], “Search for NMSSM Higgs bosons in the $h \rightarrow aa \rightarrow \mu\mu \mu\mu, \mu\mu \tau\tau$ channels using $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV,” Phys. Rev. Lett. **103**, 061801 (2009) [arXiv:0905.3381 [hep-ex]].
- [193] V. M. Abazov *et al.* [D0 Collaboration], “Observation of Single Top-Quark Production,” Phys. Rev. Lett. **103**, 092001 (2009) [arXiv:0903.0850 [hep-ex]].
- [194] V. M. Abazov *et al.* [D0 Collaboration], “Measurements of differential cross sections of Z/gamma*+jets+X events in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV,” Phys. Lett. B **678**, 45 (2009) [arXiv:0903.1748 [hep-ex]].
- [195] V. M. Abazov *et al.* [D0 Collaboration], “Search for the standard model Higgs boson in tau final states,” Phys. Rev. Lett. **102**, 251801 (2009) [arXiv:0903.4800 [hep-ex]].
- [196] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the $Z\gamma$ to $\nu\nu\gamma$ cross section and limits on anomalous ZZ γ and Z $\gamma\gamma$ couplings in ppbar collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. Lett. **102**, 201802 (2009) [arXiv:0902.2157 [hep-ex]].

- [197] V. M. Abazov *et al.* [D0 Collaboration], “Search for anomalous top quark couplings with the D0 detector,” Phys. Rev. Lett. **102**, 092002 (2009) [arXiv:0901.0151 [hep-ex]].
- [198] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of photon+b+X and photon+c+X production cross sections in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV,” Phys. Rev. Lett. **102**, 192002 (2009) [arXiv:0901.0739 [hep-ex]].
- [199] V. M. Abazov *et al.* [D0 Collaboration], “Search for admixture of scalar top quarks in the $t\bar{t}$ lepton+jets final state at $\sqrt{s}=1.96$ TeV,” Phys. Lett. B **674**, 4 (2009) [arXiv:0901.1063 [hep-ex]].
- [200] V. M. Abazov *et al.* [D0 Collaboration], “Search for Resonant Diphoton Production with the D0 Detector,” Phys. Rev. Lett. **102**, 231801 (2009) [arXiv:0901.1887 [hep-ex]].
- [201] V. M. Abazov *et al.* [D0 Collaboration], “Search for neutral Higgs bosons at high $\tan(\beta)$ in the $b(h/H/A)\rightarrow b\tau\tau$ channel,” Phys. Rev. Lett. **102**, 051804 (2009) [arXiv:0811.0024 [hep-ex]].
- [202] V. M. Abazov *et al.* [D0 Collaboration], “Evidence for decay $B_s^0 \rightarrow D_s^{(*)} D_s^{(*)}$ and a measurement of $\Delta\Gamma_s^{CP}/\Gamma_s$,” Phys. Rev. Lett. **102**, 091801 (2009) [arXiv:0811.2173 [hep-ex]].
- [203] V. M. Abazov *et al.* [D0 Collaboration], “Relative rates of B meson decays into ψ_{2S} and J/ψ mesons,” Phys. Rev. D **79**, 111102 (2009) [arXiv:0805.2576 [hep-ex]].
- [204] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the lifetime of the B_c^\pm meson in the semileptonic decay channel,” Phys. Rev. Lett. **102**, 092001 (2009) [arXiv:0805.2614 [hep-ex]].
- [205] V. M. Abazov *et al.* [D0 Collaboration], “Search for neutral Higgs bosons in multi-b-jet events in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV,” Phys. Rev. Lett. **101**, 221802 (2008) [arXiv:0805.3556 [hep-ex]].
- [206] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the differential cross-section for the production of an isolated photon with associated jet in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV,” Phys. Lett. B **666**, 435 (2008) [arXiv:0804.1107 [hep-ex]].
- [207] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the polarization of the v_{1S} and v_{2S} states in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV,” Phys. Rev. Lett. **101**, 182004 (2008) [arXiv:0804.2799 [hep-ex]].
- [208] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the forward-backward charge asymmetry and extraction of $\sin^2\Theta_W^{eff}$ in $p\bar{p}\rightarrow Z/\gamma^*+X\rightarrow e^+e^-+X$ events produced at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. Lett. **101**, 191801 (2008) [arXiv:0804.3220 [hep-ex]].
- [209] V. M. Abazov *et al.* [D0 Collaboration], “Search for $t\bar{t}$ resonances in the lepton plus jets final state in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV,” Phys. Lett. B **668**, 98 (2008) [arXiv:0804.3664 [hep-ex]].
- [210] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of B_s^0 mixing parameters from the flavor-tagged decay $B_s^0 \rightarrow J/\psi\phi$,” Phys. Rev. Lett. **101**, 241801 (2008) [arXiv:0802.2255 [hep-ex]].

- [211] V. M. Abazov *et al.* [D0 Collaboration], “Search for excited electrons in $p\bar{p}$ collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Rev. D **77**, 091102 (2008) [arXiv:0801.0877 [hep-ex]].
- [212] V. M. Abazov *et al.* [D0 Collaboration], “Search for supersymmetry in di-photon final states at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Lett. B **659**, 856 (2008) [arXiv:0710.3946 [hep-ex]].
- [213] V. M. Abazov *et al.* [D0 Collaboration], “Observation of ZZ production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Rev. Lett. **101**, 171803 (2008) [arXiv:0808.0703 [hep-ex]].
- [214] V. M. Abazov *et al.* [D0 Collaboration], “Search for pair production of second generation scalar leptoquarks,” Phys. Lett. B **671**, 224 (2009) [arXiv:0808.4023 [hep-ex]].
- [215] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the B_s^0 semileptonic branching ratio to an orbitally excited D_s state, $\text{Br}(B_s^0 \rightarrow D_{s1}^-(2536)\mu^+\nu X)$,” Phys. Rev. Lett. **102**, 051801 (2009) [arXiv:0712.3789 [hep-ex]].
- [216] V. M. Abazov *et al.* [D0 Collaboration], “Search for Large extra spatial dimensions in the dielectron and diphoton channels in $p\bar{p}$ collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Rev. Lett. **102**, 051601 (2009) [arXiv:0809.2813 [hep-ex]].
- [217] V. M. Abazov *et al.* [D0 Collaboration], “Search for scalar leptoquarks and T -odd quarks in the acoplanar jet topology using 2.5 fb^{-1} of $p\bar{p}$ collision data at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Lett. B **668**, 357 (2008) [arXiv:0808.0446 [hep-ex]].
- [218] V. M. Abazov *et al.* [D0 Collaboration], “A search for the standard model Higgs boson in the missing energy and acoplanar b-jet topology at $\sqrt{s} = 1.96\text{ TeV}$,” Phys. Rev. Lett. **101**, 251802 (2008) [arXiv:0808.1266 [hep-ex]].
- [219] V. M. Abazov *et al.* [D0 Collaboration], “Precise measurement of the top quark mass from lepton+jets events at D0,” Phys. Rev. Lett. **101**, 182001 (2008) [arXiv:0807.2141 [hep-ex]].
- [220] V. M. Abazov *et al.* [D0 Collaboration], “A Search for associated W and Higgs Boson production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Rev. Lett. **102**, 051803 (2009) [arXiv:0808.1970 [hep-ex]].
- [221] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of differential $Z/\gamma^* + \text{jet} + X$ cross sections in $p\bar{p}$ collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Lett. B **669**, 278 (2008) [arXiv:0808.1296 [hep-ex]].
- [222] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of $\sigma(p\bar{p} \rightarrow Z + X) \text{ Br}(Z \rightarrow \tau^+\tau^-)$ at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Lett. B **670**, 292 (2009) [arXiv:0808.1306 [hep-ex]].
- [223] V. M. Abazov *et al.* [D0 Collaboration], “Search for third generation scalar leptoquarks decaying into τb ,” Phys. Rev. Lett. **101**, 241802 (2008) [arXiv:0806.3527 [hep-ex]].
- [224] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the angular and lifetime parameters of the decays $B_d^0 \rightarrow J/\psi K^{*0}$ and $B_s^0 \rightarrow J/\psi \phi$,” Phys. Rev. Lett. **102**, 032001 (2009) [arXiv:0810.0037 [hep-ex]].
- [225] V. M. Abazov *et al.* [D0 Collaboration], “Observation of the doubly strange b baryon Ω_b^- ,” Phys. Rev. Lett. **101**, 232002 (2008) [arXiv:0808.4142 [hep-ex]].

- [226] V. M. Abazov *et al.* [D0 Collaboration], “Search for Long-Lived Charged Massive Particles with the D0 Detector,” Phys. Rev. Lett. **102**, 161802 (2009) [arXiv:0809.4472 [hep-ex]].
- [227] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the electron charge asymmetry in $p\bar{p} \rightarrow W + X \rightarrow e\nu + X$ events at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Rev. Lett. **101**, 211801 (2008) [arXiv:0807.3367 [hep-ex]].
- [228] V. M. Abazov *et al.* [D0 Collaboration], “Search for charged Higgs bosons decaying to top and bottom quarks in $p\bar{p}$ collisions,” Phys. Rev. Lett. **102**, 191802 (2009) [arXiv:0807.0859 [hep-ex]].
- [229] V. M. Abazov *et al.* [D0 Collaboration], “Search for anomalous Wtb couplings in single top quark production,” Phys. Rev. Lett. **101**, 221801 (2008) [arXiv:0807.1692 [hep-ex]].
- [230] V. M. Abazov *et al.* [D0 Collaboration], “ $ZZ \rightarrow \ell^+\ell^-\nu\bar{\nu}$ production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Rev. D **78**, 072002 (2008) [arXiv:0808.0269 [hep-ex]].
- [231] V. M. Abazov *et al.* [D0 Collaboration], “Evidence of $WW + WZ$ production with lepton + jets final states in proton-antiproton collisions at $\sqrt{s} = 1.96\text{ TeV}$,” Phys. Rev. Lett. **102**, 161801 (2009) [arXiv:0810.3873 [hep-ex]].
- [232] V. M. Abazov *et al.* [D0 Collaboration], “Search for a scalar or vector particle decaying into $Z\gamma$ in $p\bar{p}$ collisions at $\sqrt{(s)} = 1.96\text{ TeV}$,” Phys. Lett. B **671**, 349 (2009) [arXiv:0806.0611 [hep-ex]].
- [233] V. M. Abazov *et al.* [D0 Collaboration], “Search for long-lived particles decaying into electron or photon pairs with the D0 detector,” Phys. Rev. Lett. **101**, 111802 (2008) [arXiv:0806.2223 [hep-ex]].
- [234] V. M. Abazov *et al.* [D0 Collaboration], “Search for Higgs bosons decaying to tau pairs in $p\bar{p}$ collisions with the D0 detector,” Phys. Rev. Lett. **101** (2008) 071804 [arXiv:0805.2491 [hep-ex]].
- [235] V. M. Abazov *et al.* [D0 Collaboration], “Search for W' boson resonances decaying to a top quark and a bottom quark,” Phys. Rev. Lett. **100** (2008) 211803 [arXiv:0803.3256 [hep-ex]].
- [236] V. M. Abazov *et al.* [D0 Collaboration], “Search for scalar top quarks in the acoplanar charm jets and missing transverse energy final state in $p\bar{p}$ collisions at $\sqrt{s} = 1.96\text{ TeV}$,” Phys. Lett. B **665** (2008) 1 [arXiv:0803.2263 [hep-ex]].
- [237] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the ratio of the $p\bar{p} \rightarrow W+c\text{-jet}$ cross section to the inclusive $p\bar{p} \rightarrow W+\text{jets}$ cross section,” Phys. Lett. B **666** (2008) 23 [arXiv:0803.2259 [hep-ex]].
- [238] V. M. Abazov *et al.* [D0 Collaboration], “Search for large extra dimensions in the mono-photon final state at $\sqrt{(s)}=1.96\text{ TeV}$,” Phys. Rev. Lett. **101** (2008) 011601 [arXiv:0803.2137 [hep-ex]].
- [239] V. M. Abazov *et al.* [D0 Collaboration], “Search for pair production of doubly-charged Higgs bosons in the $H^{++}H^{--}$ to $\mu^+\mu^+\mu^-\mu^-$ final state at D0,” Phys. Rev. Lett. **101** (2008) 071803 [arXiv:0803.1534 [hep-ex]].

- [240] V. M. Abazov *et al.* [D0 Collaboration], “Search for decay of a fermiophobic Higgs boson $h_f \rightarrow \gamma\gamma$ with the D0 detector at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. Lett. **101** (2008) 051801 [arXiv:0803.1514 [hep-ex]].
- [241] V. M. Abazov *et al.* [D0 Collaboration], “Evidence for production of single top quarks,” Phys. Rev. D **78** (2008) 012005 [arXiv:0803.0739 [hep-ex]].
- [242] V. M. Abazov *et al.* [D0 Collaboration], “First study of the radiation-amplitude zero in $W\gamma$ production and limits on anomalous $WW\gamma$ couplings at $\sqrt{(s)}=1.96$ TeV,” Phys. Rev. Lett. **100** (2008) 241805 [arXiv:0803.0030 [hep-ex]].
- [243] V. M. Abazov *et al.* [D0 Collaboration], “Observation of the Bc Meson in the Exclusive Decay $B(c) \rightarrow J/\psi\pi$,” Phys. Rev. Lett. **101** (2008) 012001 [arXiv:0802.4258 [hep-ex]].
- [244] V. M. Abazov *et al.* [D0 Collaboration], “Study of direct CP violation in $B^\pm \rightarrow J/\psi K^\pm(\pi^\pm)$ decays,” Phys. Rev. Lett. **100** (2008) 211802 [arXiv:0802.3299 [hep-ex]].
- [245] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the inclusive jet cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Rev. Lett. **101** (2008) 062001 [arXiv:0802.2400 [hep-ex]].
- [246] V. M. Abazov *et al.* [D0 Collaboration], “Search for Scalar Neutrino Superpartners in $e + \mu$ Final States in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ -TeV,” Phys. Rev. Lett. **100** (2008) 241803 [arXiv:0711.3207 [hep-ex]].
- [247] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $s_{\text{sqrt}} = 1.96$ TeV,” Phys. Rev. Lett. **100**, 192004 (2008) [arXiv:0803.2779 [hep-ex]].
- [248] V. M. Abazov *et al.* [D0 Collaboration], “Simultaneous measurement of the ratio $R = B(t \rightarrow Wb)/B(t \rightarrow Wq)$ and the top quark pair production cross section with the D0 detector at $\sqrt{s}=1.96$ TeV,” Phys. Rev. Lett. **100**, 192003 (2008) [arXiv:0801.1326 [hep-ex]].
- [249] V. M. Abazov *et al.* [D0 Collaboration], “A combined search for the standard model Higgs boson at $\sqrt{s}=1.96$ TeV,” Phys. Lett. B **663** (2008) 26 [arXiv:0712.0598 [hep-ex]].
- [250] V. M. Abazov *et al.* [D0 Collaboration], “Search for ZZ and $Z\gamma^*$ production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV and limits on anomalous ZZZ and ZZ γ^* couplings,” Phys. Rev. Lett. **100** (2008) 131801 [arXiv:0712.0599 [hep-ex]].
- [251] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the shape of the boson transverse momentum distribution in $p\bar{p} \rightarrow Z/\gamma^* \rightarrow ee + X$ events produced at $\sqrt{s}=1.96$ TeV,” Phys. Rev. Lett. **100** (2008) 102002 [arXiv:0712.0803 [hep-ex]].
- [252] V. M. Abazov *et al.* [D0 Collaboration], “First measurement of the forward-backward charge asymmetry in top quark pair production,” Phys. Rev. Lett. **100** (2008) 142002 [arXiv:0712.0851 [hep-ex]].
- [253] V. M. Abazov *et al.* [D0 Collaboration], “Search for squarks and gluinos in events with jets and missing transverse energy using 2.1 fb^{-1} of $p\bar{p}$ collision data at $\sqrt{s}=1.96$ TeV,” Phys. Lett. B **660** (2008) 449 [arXiv:0712.3805 [hep-ex]].

- [254] V. M. Abazov *et al.* [D0 Collaboration], “Observation and properties of the orbitally excited B_{s2}^* Meson,” Phys. Rev. Lett. **100** (2008) 082002 [arXiv:0711.0319 [hep-ex]].
- [255] V. M. Abazov *et al.* [D0 Collaboration], “Model-independent measurement of the W boson helicity in top quark decays,” Phys. Rev. Lett. **100** (2008) 062004 [arXiv:0711.0032 [hep-ex]].
- [256] V. M. Abazov *et al.* [D0 Collaboration], “Search for W’ bosons decaying to an electron and a neutrino with the D0 detector,” Phys. Rev. Lett. **100** (2008) 031804 [arXiv:0710.2966 [hep-ex]].
- [257] V. M. Abazov *et al.* [D0 Collaboration], “Search for Randall-Sundrum gravitons with 1 fb^{-1} of data from $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV,” Phys. Rev. Lett. **100** (2008) 091802 [arXiv:0710.3338 [hep-ex]].
- [258] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the $p\bar{p} \rightarrow WZ + X$ cross-section at $\sqrt{s} = 1.96$ -TeV and limits on WWZ trilinear gauge couplings,” Phys. Rev. D **76** (2007) 111104 [arXiv:0709.2917 [hep-ex]].
- [259] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the muon charge asymmetry from W boson decays,” Phys. Rev. D **77** (2008) 011106 [arXiv:0709.4254 [hep-ex]].
- [260] V. M. Abazov *et al.* [D0 Collaboration], “Search for flavor-changing-neutral-current D meson decays,” Phys. Rev. Lett. **100** (2008) 101801 [arXiv:0708.2094 [hep-ex]].
- [261] V. M. Abazov *et al.* [D0 Collaboration], “Search for the lightest scalar top quark in events with two leptons in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV,” Phys. Lett. B **659** (2008) 500 [arXiv:0707.2864 [hep-ex]].
- [262] V. M. Abazov *et al.* [D0 Collaboration], “Search for $B_s \rightarrow \mu^+ \mu^-$ at D0,” Phys. Rev. D **76** (2007) 092001 [arXiv:0707.3997 [hep-ex]].
- [263] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the $t\bar{t}$ production cross-section in $p\bar{p}$ collisions using dilepton events,” Phys. Rev. D **76** (2007) 052006 [arXiv:0706.0458 [hep-ex]].
- [264] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the Λ_b^0 lifetime using semileptonic decays,” Phys. Rev. Lett. **99** (2007) 182001 [arXiv:0706.2358 [hep-ex]].
- [265] V. M. Abazov *et al.* [D0 Collaboration], “Search for stopped gluinos from $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV,” Phys. Rev. Lett. **99** (2007) 131801 [arXiv:0705.0306 [hep-ex]].
- [266] V. M. Abazov *et al.* [D0 Collaboration], “Search for third-generation leptoquarks in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV,” Phys. Rev. Lett. **99** (2007) 061801 [arXiv:0705.0812 [hep-ex]].
- [267] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV using kinematic characteristics of lepton + jets events,” Phys. Rev. D **76** (2007) 092007 [arXiv:0705.2788 [hep-ex]].
- [268] V. M. Abazov *et al.* [D0 Collaboration], “Observation and Properties of $L = 1$ B_1 and B_2^* Mesons,” Phys. Rev. Lett. **99** (2007) 172001 [arXiv:0705.3229 [hep-ex]].

- [269] V. M. Abazov *et al.* [D0 Collaboration], “Search for a Higgs boson produced in association with a Z boson in $p\bar{p}$ collisions,” Phys. Lett. B **655** (2007) 209 [arXiv:0704.2000 [hep-ex]].
- [270] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the Λ_b lifetime in the exclusive decay $\Lambda_b \rightarrow J/\psi \Lambda$,” Phys. Rev. Lett. **99** (2007) 142001 [arXiv:0704.3909 [hep-ex]].
- [271] V. M. Abazov *et al.* [D0 Collaboration], “Search for production of single top quarks via flavor-changing neutral currents at the Tevatron,” Phys. Rev. Lett. **99** (2007) 191802 [arXiv:hep-ex/0702005].
- [272] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the branching fraction $\text{Br}(B^0(s) \rightarrow D_s^{(*)} D_s^{(*)})$,” Phys. Rev. Lett. **99** (2007) 241801 [arXiv:hep-ex/0702049].
- [273] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the top quark mass in the dilepton channel,” Phys. Lett. B **655** (2007) 7 [arXiv:hep-ex/0609056].
- [274] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the $p\bar{p} \rightarrow t\bar{t}$ production cross section at $\sqrt{s} = 1.96$ -TeV in the fully hadronic decay channel,” Phys. Rev. D **76** (2007) 072007 [arXiv:hep-ex/0612040].
- [275] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the ratios of the $Z/\gamma^* + \geq n$ jet production cross sections to the total inclusive Z/γ^* cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV,” Phys. Lett. B **658** (2008) 112 [arXiv:hep-ex/0608052].
- [276] V. M. Abazov *et al.* [D0 Collaboration], “Direct observation of the strange b baryon Ξ_b^- ,” Phys. Rev. Lett. **99** (2007) 052001 [arXiv:0706.1690 [hep-ex]].
- [277] V. M. Abazov *et al.* [D0 Collaboration], “ Z gamma production and limits on anomalous Z Z gamma and Z gamma gamma couplings in p anti- p collisions at $\sqrt{s} = 1.96$ -TeV,” Phys. Lett. B **653** (2007) 378 [arXiv:0705.1550 [hep-ex]].
- [278] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the top quark mass in the lepton + jets channel using the ideogram method,” Phys. Rev. D **75** (2007) 092001 [arXiv:hep-ex/0702018].
- [279] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the shape of the boson rapidity distribution for p anti- $p \rightarrow Z/\gamma^* \rightarrow e^+e^- + X$ events produced at \sqrt{s} of 1.96-TeV,” Phys. Rev. D **76** (2007) 012003 [arXiv:hep-ex/0702025].
- [280] V. M. Abazov *et al.* [D0 Collaboration], “Combined D0 measurements constraining the CP-violating phase and width difference in the B_0^s system,” Phys. Rev. D **76** (2007) 057101 [arXiv:hep-ex/0702030].
- [281] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the charge asymmetry in semileptonic B_0^s decays,” Phys. Rev. Lett. **98** (2007) 151801 [arXiv:hep-ex/0701007].
- [282] V. M. Abazov *et al.* [D0 Collaboration], “Lifetime difference and CP-violating phase in the B_0^s system,” Phys. Rev. Lett. **98** (2007) 121801 [arXiv:hep-ex/0701012].
- [283] V. M. Abazov *et al.* [D0 Collaboration], “Search for single production of scalar leptoquarks in p anti- p collisions decaying into muons and quarks with the D0 detector,” Phys. Lett. B **647** (2007) 74 [arXiv:hep-ex/0612012].

- [284] V. M. Abazov *et al.* [D0 Collaboration], “Search for techniparticles in e + jets events at D0,” Phys. Rev. Lett. **98** (2007) 221801 [arXiv:hep-ex/0612013].
- [285] V. M. Abazov *et al.* [D0 Collaboration], “Evidence for production of single top quarks and first direct measurement of $|V(tb)|$,” Phys. Rev. Lett. **98** (2007) 181802 [arXiv:hep-ex/0612052].
- [286] V. M. Abazov *et al.* [D0 Collaboration], “Search for the pair production of scalar top quarks in the acoplanar charm jet topology in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Lett. B **645** (2007) 119 [arXiv:hep-ex/0611003].
- [287] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the CP-violation parameter of B0 mixing and decay with p anti-p $\rightarrow \mu\mu X$ data,” Phys. Rev. D **74** (2006) 092001 [arXiv:hep-ex/0609014].
- [288] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of B_d mixing using opposite-side flavor tagging,” Phys. Rev. D **74** (2006) 112002 [arXiv:hep-ex/0609034].
- [289] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the W boson helicity in top quark decay at D0,” Phys. Rev. D **75** (2007) 031102 [arXiv:hep-ex/0609045].
- [290] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the top quark mass in the lepton + jets final state with the matrix element method,” Phys. Rev. D **74** (2006) 092005 [arXiv:hep-ex/0609053].
- [291] V. M. Abazov *et al.* [D0 Collaboration], “Limits on anomalous trilinear gauge couplings from $W W \rightarrow e^+e^-$, $W W \rightarrow e^+\mu^-$, and $W W \rightarrow \mu^+\mu^-$ events from p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Rev. D **74** (2006) 057101 [arXiv:hep-ex/0608011].
[Erratum-ibid. D **74** (2006) 059904]
- [292] V. M. Abazov *et al.* [D0 Collaboration], “Experimental discrimination between charge 2e/3 top quark and charge 4e/3 exotic quark production scenarios,” Phys. Rev. Lett. **98** (2007) 041801 [arXiv:hep-ex/0608044].
- [293] V. M. Abazov *et al.* [D0 Collaboration], “Search for the Standard Model Higgs Boson in the $p\bar{p} \rightarrow ZH \rightarrow \nu\bar{\nu} b\bar{b}$ channel,” Phys. Rev. Lett. **97** (2006) 161803 [arXiv:hep-ex/0607022].
- [294] V. M. Abazov *et al.* [D0 Collaboration], “Search for neutral, long-lived particles decaying into two muons in $p\bar{p}$ collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Rev. Lett. **97** (2006) 161802 [arXiv:hep-ex/0607028].
- [295] V. M. Abazov *et al.* [D0 Collaboration], “Search for associated Higgs boson production $WH \rightarrow WWW^* \rightarrow \ell^\pm\nu\ell'^\pm\nu' + X$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Rev. Lett. **97** (2006) 151804 [arXiv:hep-ex/0607032].
- [296] V. M. Abazov *et al.* [D0 Collaboration], “Multivariate searches for single top quark production with the D0 detector,” Phys. Rev. D **75** (2007) 092007 [arXiv:hep-ex/0604020].
- [297] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the t anti-t production cross section in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$ using secondary vertex b tagging,” Phys. Rev. D **74**, 112004 (2006) [arXiv:hep-ex/0611002].

- [298] V. M. Abazov *et al.* [D0 Collaboration], “Search for pair production of scalar bottom quarks in $p\bar{p}$ collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Rev. Lett. **97**, 171806 (2006) [arXiv:hep-ex/0608013].
- [299] V. M. Abazov *et al.* [D0 Collaboration], “Search for W’ boson production in the top quark decay channel,” Phys. Lett. B **641**, 423 (2006) [arXiv:hep-ex/0607102].
- [300] V. M. Abazov *et al.* [D0 Collaboration], “Search for particles decaying into a Z boson and a photon in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Lett. B **641**, 415 (2006) [arXiv:hep-ex/0605064].
- [301] V. M. Abazov *et al.* [D0 Collaboration], “A precise measurement of the B_0^s lifetime,” Phys. Rev. Lett. **97**, 241801 (2006) [arXiv:hep-ex/0604046].
- [302] V. M. Abazov *et al.* [D0 Collaboration], “Search for scalar leptoquarks in the acoplanar jet topology in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Lett. B **640**, 230 (2006) [arXiv:hep-ex/0607009].
- [303] V. M. Abazov *et al.* [D0 Collaboration], “Search for a heavy resonance decaying into a Z + jet final state in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$ using the D0 detector,” Phys. Rev. D **74**, 011104 (2006) [arXiv:hep-ex/0606018].
- [304] V. M. Abazov *et al.* [D0 Collaboration], “Search for resonant second generation slepton production at the Tevatron,” Phys. Rev. Lett. **97**, 111801 (2006) [arXiv:hep-ex/0605010].
- [305] V. M. Abazov *et al.* [D0 Collaboration], “Search for neutral Higgs bosons decaying to tau pairs in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Rev. Lett. **97**, 121802 (2006) [arXiv:hep-ex/0605009].
- [306] V. M. Abazov *et al.* [D0 Collaboration], “Search for R-parity violating supersymmetry via the LLE couplings lambda(121), lambda(122) or lambda(133) in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Lett. B **638**, 441 (2006) [arXiv:hep-ex/0605005].
- [307] V. M. Abazov *et al.* [D0 Collaboration], “Search for excited muons in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Rev. D **73**, 111102 (2006) [arXiv:hep-ex/0604040].
- [308] V. M. Abazov *et al.* [D0 Collaboration], “Search for squarks and gluinos in events with jets and missing transverse energy in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Lett. B **638**, 119 (2006) [arXiv:hep-ex/0604029].
- [309] V. M. Abazov *et al.* [D0 Collaboration], “Search for the rare decay $B0/s \rightarrow \Phi \mu+ \mu-$ with the D0 detector,” Phys. Rev. D **74**, 031107 (2006) [arXiv:hep-ex/0604015].
- [310] V. M. Abazov *et al.* [D0 Collaboration], “First direct two-sided bound on the B_0^s oscillation frequency,” Phys. Rev. Lett. **97**, 021802 (2006) [arXiv:hep-ex/0603029].
- [311] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of $B(t \rightarrow W b)/B(t \rightarrow W q)$ at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Lett. B **639**, 616 (2006) [arXiv:hep-ex/0603002].
- [312] V. M. Abazov *et al.* [D0 Collaboration], “Search for pair production of second generation scalar leptoquarks in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Lett. B **636**, 183 (2006) [arXiv:hep-ex/0601047].

- [313] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the isolated photon cross section in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Lett. B **639**, 151 (2006) [arXiv:hep-ex/0511054].
[Erratum-ibid. Phys. Lett. B **658**, Issue 5 (2008) 285-289]
- [314] V. M. Abazov *et al.* [D0 Collaboration], “Search for the Higgs boson in $H \rightarrow W W^(*)$ decays in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Rev. Lett. **96**, 011801 (2006) [arXiv:hep-ex/0508054].
- [315] V. M. Abazov *et al.* [D0 Collaboration], “The upgraded D0 detector,” Nucl. Instrum. Meth. A **565**, 463 (2006) [arXiv:physics/0507191].
- [316] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the lifetime difference in the B_0^s system,” Phys. Rev. Lett. **95**, 171801 (2005) [arXiv:hep-ex/0507084].
- [317] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of semileptonic branching fractions of B mesons to narrow D^{**} states,” Phys. Rev. Lett. **95**, 171803 (2005) [arXiv:hep-ex/0507046].
- [318] V. M. Abazov *et al.* [D0 Collaboration], “Search for large extra spatial dimensions in dimuon production at D0,” Phys. Rev. Lett. **95**, 161602 (2005) [arXiv:hep-ex/0506063].
- [319] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the t anti-t production cross section in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$ in dilepton final states,” Phys. Lett. B **626**, 55 (2005) [arXiv:hep-ex/0505082].
- [320] V. M. Abazov *et al.* [D0 Collaboration], “Search for Randall-Sundrum gravitons in dilepton and diphoton final states,” Phys. Rev. Lett. **95**, 091801 (2005) [arXiv:hep-ex/0505018].
- [321] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the t anti-t production cross section in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$ using lepton + jets events with lifetime b-tagging,” Phys. Lett. B **626**, 35 (2005) [arXiv:hep-ex/0504058].
- [322] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the t anti-t production cross section in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$ using kinematic characteristics of lepton + jets events,” Phys. Lett. B **626**, 45 (2005) [arXiv:hep-ex/0504043].
- [323] V. M. Abazov *et al.* [D0 Collaboration], “Search for single top quark production in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Lett. B **622** (2005) 265 [arXiv:hep-ex/0505063].
- [324] V. M. Abazov *et al.* [D0 Collaboration], “Search for right-handed W bosons in top quark decay,” Phys. Rev. D **72** (2005) 011104 [arXiv:hep-ex/0505031].
- [325] V. M. Abazov *et al.* [D0 Collaboration], “Search for supersymmetry via associated production of charginos and neutralinos in final states with three leptons,” Phys. Rev. Lett. **95** (2005) 151805 [arXiv:hep-ex/0504032].
- [326] V. M. Abazov *et al.* [D0 Collaboration], “Production of W Z events in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$ and limits on anomalous W W Z couplings,” Phys. Rev. Lett. **95** (2005) 141802 [arXiv:hep-ex/0504019].

- [327] V. M. Abazov *et al.* [D0 Collaboration], “Search for neutral supersymmetric Higgs bosons in multijet events at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Rev. Lett. **95** (2005) 151801 [arXiv:hep-ex/0504018].
- [328] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the p anti-p $\rightarrow W$ gamma + X cross section at $\sqrt{s} = 1.96\text{-TeV}$ and W W gamma anomalous coupling limits,” Phys. Rev. D **71** (2005) 091108 [arXiv:hep-ex/0503048].
- [329] V. M. Abazov *et al.* [D0 Collaboration], “Study of Z gamma events and limits on anomalous Z Z gamma and Z gamma gamma couplings in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Rev. Lett. **95** (2005) 051802 [arXiv:hep-ex/0502036].
- [330] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of inclusive differential cross sections for Upsilon(1S) production in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Rev. Lett. **94** (2005) 232001 [arXiv:hep-ex/0502030].
 [Erratum-ibid. Phys. Rev. Lett. **100** (2008) 049902(E)]
- [331] V. M. Abazov *et al.* [D0 Collaboration], “Search for first-generation scalar leptoquarks in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Rev. D **71** (2005) 071104 [arXiv:hep-ex/0412029].
- [332] V. M. Abazov *et al.* [D0 Collaboration], “First measurement of $\sigma(p \text{ anti-}p \rightarrow Z) \times \text{Br}(Z \rightarrow \tau\tau)$ at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Rev. D **71** (2005) 072004 [arXiv:hep-ex/0412020].
 [Erratum-ibid. Phys. Rev. D **77** (2008) 039901(E)]
- [333] V. M. Abazov *et al.* [D0 Collaboration], “A search for anomalous heavy-flavor quark production in association with W bosons,” Phys. Rev. Lett. **94** (2005) 152002 [arXiv:hep-ex/0411084].
- [334] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the top quark mass in all-jet events,” Phys. Lett. B **606** (2005) 25 [arXiv:hep-ex/0410086].
- [335] V. M. Abazov *et al.* [D0 Collaboration], “A measurement of the ratio of inclusive cross sections $\sigma(p p \rightarrow Z + b\text{-jet})/\sigma(p p \rightarrow Z + \text{jet})$ at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Rev. Lett. **94** (2005) 161801 [arXiv:hep-ex/0410078].
- [336] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the W W production cross section in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Rev. Lett. **94** (2005) 151801 [arXiv:hep-ex/0410066].
 [Erratum-ibid. Phys. Rev. Lett. **100** (2008) 139901(E)]
- [337] V. M. Abazov *et al.* [D0 Collaboration], “A search for W b anti-b and W H production in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Rev. Lett. **94** (2005) 091802 [arXiv:hep-ex/0410062].
- [338] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the Lambda/b0 lifetime in the decay Lambda/b0 $\rightarrow J/\psi \Lambda$ with the D0 detector,” Phys. Rev. Lett. **94** (2005) 102001 [arXiv:hep-ex/0410054].
- [339] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the ratio of B+ and B0 meson lifetimes,” Phys. Rev. Lett. **94** (2005) 182001 [arXiv:hep-ex/0410052].

- [340] V. M. Abazov *et al.* [D0 Collaboration], “A search for the flavor-changing neutral current decay $B_0^s \rightarrow \mu^+ \mu^-$ in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$ with the D0 detector,” Phys. Rev. Lett. **94** (2005) 071802 [arXiv:hep-ex/0410039].
- [341] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the B_0^s lifetime in the exclusive decay channel $B_0^s \rightarrow J/\psi \Phi$,” Phys. Rev. Lett. **94** (2005) 042001 [arXiv:hep-ex/0409043].
- [342] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of dijet azimuthal decorrelations at central rapidities in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Rev. Lett. **94** (2005) 221801 [arXiv:hep-ex/0409040].
- [343] V. M. Abazov *et al.* [D0 Collaboration], “Search for supersymmetry with gauge-mediated breaking in diphoton events at D0,” Phys. Rev. Lett. **94** (2005) 041801 [arXiv:hep-ex/0408146].
- [344] V. M. Abazov *et al.* [D0 Collaboration], “Observation and properties of the X(3872) decaying to $J/\psi \pi^+ \pi^-$ in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Rev. Lett. **93** (2004) 162002 [arXiv:hep-ex/0405004].
- [345] V. M. Abazov *et al.* [D0 Collaboration], “Helicity of the W boson in lepton + jets t anti-t events,” Phys. Lett. B **617** (2005) 1 [arXiv:hep-ex/0404040].
- [346] V. M. Abazov *et al.* [D0 Collaboration], “Search for doubly-charged Higgs boson pair production in the decay to $\mu^+ \mu^+ \mu^- \mu^-$ in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$,” Phys. Rev. Lett. **93** (2004) 141801 [arXiv:hep-ex/0404015].
- [347] V. M. Abazov *et al.* [D0 Collaboration], “A precision measurement of the mass of the top quark,” Nature **429**, 638 (2004) [arXiv:hep-ex/0406031].
- [348] V. M. Abazov *et al.*, “Search for Pair Production of Light Scalar Top Quarks in $p\bar{p}$ Collisions at $\sqrt{s}=1.8\text{ TeV}$,” Phys. Rev. Lett. **93**, 011801 (2004) [arXiv:hep-ex/0404028].
- [349] V. M. Abazov *et al.* [CDF and D0 Collaborations], “Combination of CDF and DØ results on W boson mass and width,” Phys. Rev. D **70**, 092008 (2004) [arXiv:hep-ex/0311039].
- [350] V. M. Abazov *et al.* [D0 Collaboration], “Search for new particles in the two-jet decay channel with the D0 detector,” Phys. Rev. D **69**, 111101 (2004) [arXiv:hep-ex/0308033].
- [351] V. M. Abazov *et al.* [D0 Collaboration], “Search for narrow t anti-t resonances in p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. Lett. **92**, 221801 (2004) [arXiv:hep-ex/0307079].
- [352] V. M. Abazov *et al.* [D0 collaboration], “Search for 3- and 4-body decays of the scalar top quark in p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Lett. B **581**, 147 (2004).
- [353] V. M. Abazov *et al.* [D0 Collaboration], “Observation of diffractively produced W and Z bosons in anti-p p collisions at $\sqrt{s} = 1800\text{-GeV}$,” Phys. Lett. B **574**, 169 (2003) [arXiv:hep-ex/0308032].
- [354] V. M. Abazov *et al.* [D0 Collaboration], “Search for large extra dimensions in the monojet + missing-E(T) channel at D0,” Phys. Rev. Lett. **90**, 251802 (2003) [arXiv:hep-ex/0302014].

- [355] V. M. Abazov *et al.* [D0 Collaboration], “Search for the production of single sleptons through R-parity violation in p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. Lett. **89**, 261801 (2002) [arXiv:hep-ex/0207100].
- [356] V. M. Abazov *et al.* [D0 Collaboration], “Multiple jet production at low transverse energies in p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. D **67**, 052001 (2003) [arXiv:hep-ex/0207046].
- [357] V. M. Abazov *et al.* [D0 Collaboration], “ t anti- t production cross section in p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. D **67**, 012004 (2003) [arXiv:hep-ex/0205019].
- [358] V. M. Abazov *et al.* [D0 Collaboration], “Search for mSUGRA in single electron events with jets and large missing transverse energy in p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. D **66**, 112001 (2002) [arXiv:hep-ex/0205002].
- [359] V. M. Abazov *et al.* [D0 Collaboration], “Improved W boson mass measurement with the D0 detector,” Phys. Rev. D **66**, 012001 (2002) [arXiv:hep-ex/0204014].
- [360] V. M. Abazov *et al.* [D0 Collaboration], “A direct measurement of W boson decay width,” Phys. Rev. D **66**, 032008 (2002) [arXiv:hep-ex/0204009].
- [361] V. M. Abazov *et al.* [D0 Collaboration], “Search for R-parity violating supersymmetry in dimuon and four-jets channel,” Phys. Rev. Lett. **89**, 171801 (2002) [arXiv:hep-ex/0111053].
- [362] V. M. Abazov *et al.* [D0 Collaboration], “Search for leptoquark pairs decaying to $\nu\nu + \text{jets}$ in p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. Lett. **88**, 191801 (2002) [arXiv:hep-ex/0111047].
- [363] V. M. Abazov *et al.* [D0 Collaboration], “The inclusive jet cross-section in p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$ using the k(T) algorithm,” Phys. Lett. B **525**, 211 (2002) [hep-ex/0109041].
- [364] V. M. Abazov *et al.* [D0 Collaboration], “A search for the scalar top quark in p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. Lett. **88**, 171802 (2002) [hep-ex/0108018].
- [365] V. M. Abazov *et al.* [D0 Collaboration], “Subjet multiplicity of gluon and quark jets reconstructed with the k(T) algorithm in p anti-p collisions,” Phys. Rev. D **65**, 052008 (2002) [hep-ex/0108054].
- [366] V. M. Abazov *et al.* [D0 Collaboration], “Measurement of the ratio of differential cross sections for W and Z boson production as a function of transverse momentum in p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Lett. B **517**, 299 (2001) [hep-ex/0107012].
- [367] V. M. Abazov *et al.* [D0 Collaboration], “The ratio of the isolated photon cross sections at $\sqrt{s} = 630\text{-GeV}$ and 1800-GeV ,” Phys. Rev. Lett. **87**, 251805 (2001) [hep-ex/0106026].
- [368] V. M. Abazov *et al.* [D0 Collaboration], “Search for new physics using QUAERO: A general interface to D0 event data,” Phys. Rev. Lett. **87**, 231801 (2001) [hep-ex/0106039].
- [369] V. M. Abazov *et al.* [D0 Collaboration], “Search for single top quark production at D0 using neural networks,” Phys. Lett. B **517**, 282 (2001) [hep-ex/0106059].

- [370] V. M. Abazov *et al.* [D0 Collaboration], “Search for first-generation scalar and vector leptoquarks,” Phys. Rev. D **64**, 092004 (2001) [hep-ex/0105072].
- [371] B. Abbott *et al.* [D0 Collaboration], “A quasi-model-independent search for new high p(T) physics at D0,” Phys. Rev. Lett. **86**, 3712 (2001) [hep-ex/0011071].
- [372] V. M. Abazov *et al.* [D0 Collaboration], “Direct search for charged Higgs bosons in decays of top quarks,” Phys. Rev. Lett. **88**, 151803 (2002) [hep-ex/0102039].
- [373] V. M. Abazov *et al.* [D0 Collaboration], “Search for heavy particles decaying into electron positron pairs in p anti-p collisions,” Phys. Rev. Lett. **87**, 061802 (2001) [Int. J. Mod. Phys. A **16S1B**, 866 (2001)] [hep-ex/0102048].
- [374] B. Abbott *et al.* [D0 Collaboration], “High-p(T) jets in anti-p p collisions at $\sqrt{s} = 630\text{-GeV}$ and 1800-GeV,” Phys. Rev. D **64**, 032003 (2001) [hep-ex/0012046].
- [375] B. Abbott *et al.* [D0 Collaboration], “Inclusive jet production in p anti-p collisions,” Phys. Rev. Lett. **86**, 1707 (2001) [hep-ex/0011036].
- [376] B. Abbott *et al.* [D0 Collaboration], “A quasi-model-independent search for new physics at large transverse momentum,” Phys. Rev. D **64**, 012004 (2001) [hep-ex/0011067].
- [377] B. Abbott *et al.* [D0 Collaboration], “Differential cross section for W boson production as a function of transverse momentum in p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Lett. B **513**, 292 (2001) [hep-ex/0010026].
- [378] B. Abbott *et al.* [D0 Collaboration], “Ratios of multijet cross sections in p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. Lett. **86**, 1955 (2001) [hep-ex/0009012].
- [379] B. Abbott *et al.* [D0 Collaboration], “Measurement of the angular distribution of electrons from $W \rightarrow e \nu$ decays observed in p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. D **63**, 072001 (2001) [hep-ex/0009034].
- [380] B. Abbott *et al.* [D0 Collaboration], “Cross section for b jet production in anti-p p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. Lett. **85**, 5068 (2000) [hep-ex/0008021].
- [381] B. Abbott *et al.* [D0 Collaboration], “Search for electroweak production of single top quarks in p anti-p collisions,” Phys. Rev. D **63**, 031101 (2001) [hep-ex/0008024].
- [382] B. Abbott *et al.* [D0 Collaboration], “Search for large extra dimensions in dielectron and diphoton production,” Phys. Rev. Lett. **86**, 1156 (2001) [hep-ex/0008065].
- [383] B. Abbott *et al.* [D0 Collaboration], “The ratio of jet cross sections at $\sqrt{s} = 630\text{-GeV}$ and 1800-GeV,” Phys. Rev. Lett. **86**, 2523 (2001) [hep-ex/0008072].
- [384] P. Baringer *et al.* [D0 Collaboration], “Cosmic ray tests of the D0 preshower detector,” Nucl. Instrum. Meth. A **469**, 295 (2001) [arXiv:hep-ex/0007026].
- [385] B. Abbott *et al.* [D0 Collaboration], “Search for new physics in e muon X data at D0 using Sherlock: A quasi model independent search strategy for new physics,” Phys. Rev. D **62**, 092004 (2000) [hep-ex/0006011].

- [386] B. Abbott *et al.* [D0 Collaboration], “Search for R-parity violation in multilepton final states in p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. D **62**, 071701 (2000) [hep-ex/0005034].
- [387] B. Abbott *et al.* [D0 Collaboration], “Spin correlation in t anti-t production from p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. Lett. **85**, 256 (2000) [hep-ex/0002058].
- [388] B. Abbott *et al.* [D0 Collaboration], “A search for dilepton signatures from minimal low-energy supergravity in p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. D **63**, 091102 (2001).
- [389] B. Abbott *et al.* [D0 Collaboration], “Inclusive jet cross sections in anti-p p collisions at $\sqrt{s} = 630\text{-GeV}$ and 1800-GeV ,” Nucl. Phys. Proc. Suppl. **79**, 229 (1999) [hep-ex/0001063].
- [390] B. Abbott *et al.* [D0 Collaboration], “The isolated photon cross-section in p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. Lett. **84**, 2786 (2000) [hep-ex/9912017].
- [391] B. Abbott *et al.* [D0 Collaboration], “Limits on quark compositeness from high-energy jets in anti-p p collisions at 1.8-TeV,” Phys. Rev. D **62**, 031101 (2000) [Int. J. Mod. Phys. A **16S1B**, 863 (2001)] [hep-ex/9912023].
- [392] B. Abbott *et al.* [D0 Collaboration], “Probing BFKL dynamics in the dijet cross section at large rapidity intervals in p anti-p collisions at $\sqrt{s} = 1800\text{-GeV}$ and 630-GeV ,” Phys. Rev. Lett. **84**, 5722 (2000) [hep-ex/9912032].
- [393] B. Abbott *et al.* [D0 Collaboration], “Limits on anomalous W W gamma and W W Z couplings from W W / W Z $\rightarrow e \nu j j$ production,” Phys. Rev. D **62**, 052005 (2000) [hep-ex/9912033].
- [394] B. Abbott *et al.* [D0 Collaboration], “Hard single diffraction in anti-p p collisions at $\sqrt{s} = 630\text{-GeV}$ and 1800-GeV ,” Phys. Lett. B **531**, 52 (2002) [hep-ex/9912061].
- [395] B. Abbott *et al.* [D0 Collaboration], “A measurement of the $W \rightarrow \tau \nu$ production cross section in p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. Lett. **84**, 5710 (2000) [hep-ex/9912065].
- [396] B. Abbott *et al.* [D0 Collaboration], “Search for second generation leptoquark pairs in anti-p p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. Lett. **84**, 2088 (2000) [hep-ex/9910040].
- [397] B. Abbott *et al.* [D0 Collaboration], “Differential production cross section of Z bosons as a function of transverse momentum at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. Lett. **84**, 2792 (2000) [hep-ex/9909020].
- [398] B. Abbott *et al.* [D0 Collaboration], “A measurement of the W boson mass using electrons at large rapidities,” Phys. Rev. Lett. **84**, 222 (2000) [hep-ex/9909030].
- [399] B. Abbott *et al.* [D0 Collaboration], “Evidence of color coherence effects in W + jets events from p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Lett. B **464**, 145 (1999) [hep-ex/9908017].
- [400] B. Abbott *et al.* [D0 Collaboration], “A measurement of the W boson mass using large rapidity electrons,” Phys. Rev. D **62**, 092006 (2000) [hep-ex/9908057].

- [401] B. Abbott *et al.* [D0 Collaboration], “Measurement of the inclusive differential cross section for Z bosons as a function of transverse momentum in anti-p p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. D **61**, 032004 (2000) [hep-ex/9907009].
- [402] B. Abbott *et al.* [D0 Collaboration], “Search for R-parity violating supersymmetry in the dielectron channel,” Phys. Rev. Lett. **83**, 4476 (1999) [hep-ex/9907019].
- [403] B. Abbott *et al.* [D0 Collaboration], “Small angle muon and bottom quark production in p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. Lett. **84**, 5478 (2000) [hep-ex/9907029].
- [404] B. Abbott *et al.* [D0 Collaboration], “Subjet multiplicity in quark and gluon jets at D0,” in *Proc. of the 19th Intl. Symp. on Photon and Lepton Interactions at High Energy LP99* ed. J.A. Jaros and M.E. Peskin, Nucl. Phys. Proc. Suppl. **79**, 494 (1999) [hep-ex/9907059].
- [405] B. Abbott *et al.* [D0 Collaboration], “Extraction of the width of the W boson from measurements of $\sigma(p \text{ anti-}p \rightarrow W + X) \times B(W \rightarrow e \nu)$ and $\sigma(p \text{ anti-}p \rightarrow Z + X) \times B(Z \rightarrow e e)$ and their ratio,” Phys. Rev. D **61**, 072001 (2000) [hep-ex/9906025].
- [406] B. Abbott *et al.* [D0 Collaboration], “Studies of W W and W Z production and limits on anomalous W W gamma and W W Z couplings,” Phys. Rev. D **60**, 072002 (1999) [hep-ex/9905005].
- [407] B. Abbott *et al.* [D0 Collaboration], “The b anti-b production cross section and angular correlations in p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Lett. B **487**, 264 (2000) [hep-ex/9905024].
- [408] B. Abbott *et al.* [D0 Collaboration], “Search for second generation leptoquark pairs decaying to mu nu + jets in p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. Lett. **83**, 2896 (1999) [hep-ex/9904023].
- [409] B. Abbott *et al.* [D0 Collaboration], “Search for bottom squarks in p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. D **60**, 031101 (1999) [hep-ex/9903041].
- [410] B. Abbott *et al.* [D0 Collaboration], “Search for charged Higgs bosons in decays of top quark pairs,” Phys. Rev. Lett. **82**, 4975 (1999) [hep-ex/9902028].
- [411] B. Abbott *et al.* [D0 Collaboration], “Search for squarks and gluinos in events containing jets and a large imbalance in transverse energy,” Phys. Rev. Lett. **83**, 4937 (1999) [hep-ex/9902013].
- [412] B. Abbott *et al.* [D0 Collaboration], “Measurement of the top quark pair production cross section in the all-jets decay channel,” Phys. Rev. Lett. **83**, 1908 (1999) [hep-ex/9901023].
- [413] B. Abbott *et al.* [D0 Collaboration], “Measurement of W and Z boson production cross sections in p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. D **60**, 052003 (1999) [hep-ex/9901040].
- [414] B. Abbott *et al.* [D0 Collaboration], “Measurement of the high-mass Drell-Yan cross section and limits on quark-electron compositeness scales,” Phys. Rev. Lett. **82**, 4769 (1999) [hep-ex/9812010].

- [415] B. Abbott *et al.* [D0 Collaboration], “Search for nonstandard Higgs bosons using high mass photon pairs in p anti-p → gamma gamma + 2jets at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. Lett. **82**, 2244 (1999) [hep-ex/9811029].
- [416] B. Abbott *et al.* [D0 Collaboration], “Measurement of the top quark pair production cross section in p anti-p collisions using multijet final states,” Phys. Rev. D **60**, 012001 (1999) [hep-ex/9808034].
- [417] B. Abbott *et al.* [D0 Collaboration], “Probing hard color-singlet exchange in p anti-p collisions at $\sqrt{s} = 630\text{-GeV}$ and 1800-GeV ,” Phys. Lett. B **440**, 189 (1998) [hep-ex/9809016].
- [418] B. Abbott *et al.* [D0 Collaboration], “Search for squarks and gluinos in single-photon events with jets and large missing transverse energy in p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. Lett. **82**, 29 (1999) [hep-ex/9808010].
- [419] B. Abbott *et al.* [D0 Collaboration], “Measurement of the top quark mass in the dilepton channel,” Phys. Rev. D **60**, 052001 (1999) [hep-ex/9808029].
- [420] B. Abbott *et al.* [D0 Collaboration], “The dijet mass spectrum and a search for quark compositeness in anti-p p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. Lett. **82**, 2457 (1999) [hep-ex/9807014].
- [421] B. Abbott *et al.* [D0 Collaboration], “The inclusive jet cross section in anti-p p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. Lett. **82**, 2451 (1999) [hep-ex/9807018].
- [422] B. Abbott *et al.* [D0 Collaboration], “Small angle J/psi production in p anti-p collisions at $\sqrt{s} = 1.8\text{-TeV}$,” Phys. Rev. Lett. **82**, 35 (1999) [hep-ex/9807029].

- [1] S. Bultmann *et al.* [pp2pp Collaboration], “Double spin asymmetries $A(NN)$ and $A(SS)$ at $s^{**}(1/2) = 200\text{-GeV}$ in polarized proton proton elastic scattering at RHIC,” Phys. Lett. B **647** (2007) 98 [arXiv:nucl-ex/0610022].
- [2] S. Bultmann *et al.*, “First measurement of $A(N)$ at $s^{**}(1/2) = 200\text{-GeV}$ in polarized proton proton elastic scattering at RHIC,” Phys. Lett. B **632** (2006) 167 [arXiv:nucl-ex/0507030].

- [1] B. Aubert *et al.* [The ATLAS Electromagnetic Liquid Argon Calorimeter Group Collaboration], “Performance of the ATLAS electromagnetic calorimeter end-cap module 0,” Nucl. Instrum. Meth. A **500**, 178 (2003).
- [2] B. Aubert *et al.* [ATLAS Electromagnetic Liquid Argon Calorimeter Group Collaboration], “Performance of the ATLAS electromagnetic calorimeter barrel module 0,” Nucl. Instrum. Meth. A **500**, 202 (2003)
[Erratum-*ibid.* A **517**, 399 (2004)].

- [1] P. Abreu *et al.* [DELPHI Collaboration], “Search for charginos, neutralinos and gravitinos at LEP,” *Eur. Phys. J.* **C1**, 1 (1998).
- [2] P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the quark and gluon fragmentation functions in Z0 hadronic decays,” *Eur. Phys. J.* **C6**, 19 (1999).
- [3] P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the triple gluon vertex from double quark tagged four jet events,” *Phys. Lett.* **B414**, 401 (1997).
- [4] W. Adam *et al.* [DELPHI Collaboration], “Search for B(s)0 anti-B(s)0 oscillations,” *Phys. Lett.* **B414**, 382 (1997).
- [5] P. Abreu *et al.* [DELPHI Collaboration], “Charged particle multiplicity in $e+ e^- \rightarrow q \bar{q}$ events at 161-GeV and 172-GeV and from the decay of the W boson,” *Phys. Lett.* **B416**, 233 (1998).
- [6] P. Abreu *et al.* [DELPHI Collaboration], “Search for neutral and charged Higgs bosons in $e+ e^-$ collisions at $s^{**}(1/2) = 161\text{-GeV}$ and 172-GeV ,” *Eur. Phys. J.* **C2**, 1 (1998).
- [7] P. Abreu *et al.* [Delphi Collaboration], “Observation of charge ordering in particle production in hadronic Z0 decay,” *Phys. Lett.* **B407**, 174 (1997).
- [8] P. Abreu *et al.* [DELPHI Collaboration], “Measurement of B(d)0 - anti-B(d)0 oscillations,” *Z. Phys.* **C76**, 579 (1997).
- [9] P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the spin density matrix for the rho0, K*0 (892) and phi produced in Z0 decays,” *Phys. Lett.* **B406**, 271 (1997).
- [10] P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the multiplicity of gluons splitting to bottom quark pairs in hadronic Z0 decays,” *Phys. Lett.* **B405**, 202 (1997).
- [11] P. Abreu *et al.* [DELPHI Collaboration], “A Study of the reaction $e+ e^- \rightarrow \mu^+ \mu^- \gamma$ (ISR) at LEP and search for new physics at annihilation energies near 80-GeV,” *Z. Phys.* **C75**, 581 (1997).
- [12] P. Abreu *et al.* [DELPHI Collaboration], “Rapidity correlations in Lambda baryon and proton production in hadronic Z0 decays,” *Phys. Lett.* **B416**, 247 (1998).
- [13] P. Abreu *et al.* [DELPHI Collaboration], “Measurement of correlations between pions from different Ws in $e+ e^- \rightarrow W^+ W^-$ events,” *Phys. Lett.* **B401**, 181 (1997).
- [14] P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the transverse spin correlation in $Z \rightarrow \tau^+ \tau^-$ decays,” *Phys. Lett.* **B404**, 194 (1997).
- [15] P. Abreu *et al.* [DELPHI Collaboration], “Measurement and interpretation of the W pair cross-section in $e+ e^-$ interactions at 161-GeV,” *Phys. Lett.* **B397**, 158 (1997).
- [16] P. Abreu *et al.* [DELPHI Collaboration], “Search for the B(c) Meson,” *Phys. Lett.* **B398**, 207 (1997).
- [17] P. Abreu *et al.* [DELPHI Collaboration], “Search for neutral heavy leptons produced in Z decays,” *Z. Phys.* **C74**, 57 (1997).

- [18] P. Abreu *et al.* [DELPHI Collaboration], “A Measurement of alpha-s from the scaling violation in e+ e- annihilation,” Phys. Lett. **B398**, 194 (1997).
- [19] P. Abreu *et al.* [DELPHI Collaboration], “Search for stable heavy charged particles in e+ e- collisions at $s^{**}(1/2) = 130\text{-GeV}$ to 136-GeV, 161-GeV and 172-GeV,” Phys. Lett. **B396**, 315 (1997).
- [20] P. Abreu *et al.* [DELPHI Collaboration], “Identified particles in quark and gluon jets,” Phys. Lett. **B401**, 118 (1997).
- [21] P. Abreu *et al.* [DELPHI Collaboration], “Search for excited leptons in e+ e- collisions at $s^{**}(1/2) = 161\text{-GeV}$,” Phys. Lett. **B393**, 245 (1997).
- [22] P. Abreu *et al.* [DELPHI Collaboration], “A Precise measurement of the $B(d)0$ meson lifetime using a new technique,” Z. Phys. **C74**, 19 (1997).
- [23] P. Abreu *et al.* [DELPHI Collaboration], “Search for lepton flavor number violating $Z0$ decays,” Z. Phys. **C73**, 243 (1997).
- [24] P. Abreu *et al.* [DELPHI Collaboration], “Measurement of event shape and inclusive distributions at $S^{**}(1/2) = 130\text{- GeV}$ and 136-GeV,” Z. Phys. **C73**, 229 (1997).
- [25] P. Abreu *et al.* [DELPHI Collaboration], “An Upper limit for $\text{Br} (Z0 \rightarrow g g g)$ from symmetric three jet $Z0$ hadronic decays,” Phys. Lett. **B389**, 405 (1996).
- [26] P. Abreu *et al.* [DELPHI Collaboration], “Tuning and test of fragmentation models based on identified particles and precision event shape data,” Z. Phys. **C73**, 11 (1996).
- [27] W. Adam *et al.* [DELPHI Collaboration], “Search for pair production of heavy objects in 4 jet events at $s^{**}(1/2) = 130\text{-GeV} - 136\text{-GeV}$,” Z. Phys. **C73**, 1 (1996).
- [28] P. Abreu *et al.* [DELPHI Collaboration], “Search for neutralinos, scalar leptons and scalar quarks in e+ e- interactions at $s^{**}(1/2) = 130\text{-GeV}$ and 136-GeV,” Phys. Lett. **B387**, 651 (1996).
- [29] P. Abreu *et al.* [DELPHI Collaboration], “Search for the lightest chargino at $s^{**}(1/2) = 130\text{-GeV}$ and 136-GeV in DELPHI,” Phys. Lett. **B382**, 323 (1996).
- [30] P. Abreu *et al.* [DELPHI Collaboration], “Search for high mass gamma gamma resonances in $e+ e \rightarrow \text{lepton}^+ \text{ lepton}^- \gamma \gamma$, neutrino anti-neutrino gamma gamma and q anti- q gamma gamma at LEP-1,” Z. Phys. **C72**, 179 (1996).
- [31] P. Abreu *et al.* [DELPHI Collaboration], “Measurement of inclusive K^*0 (892), Φ (1020) and $K(2)^*0$ (1430) production in hadronic Z decays,” Z. Phys. **C73**, 61 (1996).
- [32] P. Abreu *et al.* [DELPHI Collaboration], “Search for anomalous production of single photons at $s^{**}(1/2) = 130\text{-GeV}$ and 136-GeV,” Phys. Lett. **B380**, 471 (1996).
- [33] P. Abreu *et al.* [DELPHI Collaboration], “Study of radiative leptonic events with hard photons and search for excited charged leptons at $S^{**}(1/2) = 130\text{-GeV} - 136\text{-GeV}$,” Phys. Lett. **B380**, 480 (1996).

- [34] W. Adam *et al.* [DELPHI Collaboration], “Study of rare b decays with the DELPHI detector at LEP,” *Z. Phys. C***72**, 207 (1996).
- [35] P. Abreu *et al.* [DELPHI Collaboration], “Kaon interference in the hadronic decays of the Z0,” *Phys. Lett. B***379**, 330 (1996).
- [36] P. Abreu *et al.* [DELPHI Collaboration], “Mean lifetime of the B(s)0 meson,” *Z. Phys. C***71**, 11 (1996).
- [37] P. Abreu *et al.* [DELPHI Collaboration], “First study of the interference between initial and final state radiation at the Z resonance,” *Z. Phys. C***72**, 31 (1996).
- [38] P. Abreu *et al.* [DELPHI Collaboration], “Search for exclusive decays of the LAMBDA(b) baryon and measurement of its mass,” *Phys. Lett. B***374**, 351 (1996).
- [39] P. Abreu *et al.* [DELPHI Collaboration], “Determination of the average lifetime of b baryons,” *Z. Phys. C***71**, 199 (1996).
- [40] P. Abreu *et al.* [DELPHI Collaboration], “First measurement of f2-prime (1525) production in Z0 hadronic decays,” *Phys. Lett. B***379**, 309 (1996).
- [41] P. Abreu *et al.* [DELPHI Collaboration], “Charged particle multiplicity in e+ e-interactions at $s^{**}(1/2) = 130\text{-GeV}$,” *Phys. Lett. B***372**, 172 (1996).
- [42] P. Abreu *et al.* [DELPHI Collaboration], “Search for new phenomena using single photon events in the DELPHI detector at LEP,” *Z. Phys. C***74**, 577 (1997).
- [43] P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the B(d)0 oscillation frequency using kaons, leptons and jet charge,” *Z. Phys. C***72**, 17 (1996).
- [44] P. Abreu *et al.* [DELPHI Collaboration], “Updated precision measurement of the average lifetime of B hadrons,” *Phys. Lett. B***377**, 195 (1996).
- [45] W. Adam *et al.* [DELPHI Collaboration], “Production of SIGMA0 and OMEGA- in Z decays,” *Z. Phys. C***70**, 371 (1996).
- [46] P. Abreu *et al.* [DELPHI Collaboration], “Determination of $|V(cb)|$ from the semileptonic decay $B0 \rightarrow D^*- \text{lepton} - \text{neutrino}$,” *Z. Phys. C***71**, 539 (1996).
- [47] P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the partial decay width $R(b)_{\text{sup}(0)} = \text{GAMMA}(b \text{ anti-}b) / \text{GAMMA}(\text{had})$ of the Z with the DELPHI detector at LEP,” *Z. Phys. C***70**, 531 (1996).
- [48] P. Abreu *et al.* [DELPHI Collaboration], “Performance of the DELPHI detector,” *Nucl. Instrum. Meth. A***378**, 57 (1996).
- [49] P. Abreu *et al.* [DELPHI Collaboration], “Energy dependence of the differences between the quark and gluon jet fragmentation,” *Z. Phys. C***70**, 179 (1996).
- [50] W. Adam *et al.* [DELPHI Collaboration], “Measurement of inclusive pi0 production in hadronic Z0 decays,” *Z. Phys. C***69**, 561 (1996).

- [51] P. Abreu *et al.* [DELPHI Collaboration], “Search for promptly produced heavy quarkonium states in hadronic Z decays,” *Z. Phys. C* **69**, 575 (1996).
- [52] P. Abreu *et al.* [DELPHI Collaboration], “A Precise measurement of the tau lepton lifetime,” *Phys. Lett. B* **365**, 448 (1996).
- [53] P. Abreu *et al.* [DELPHI Collaboration], “Measurement of Delta++ (1232) production in hadronic Z decays,” *Phys. Lett. B* **361**, 207 (1995).
- [54] P. Abreu *et al.* [DELPHI Collaboration], “Study of prompt photon production in hadronic Z0 decays,” *Z. Phys. C* **69**, 1 (1995).
- [55] P. Abreu *et al.* [DELPHI Collaboration], “A Measurement of the tau leptonic branching fractions,” *Phys. Lett. B* **357**, 715 (1995).
- [56] P. Abreu *et al.* [DELPHI Collaboration], “Upper limits on the branching ratios tau → mu gamma and tau → e gamma,” *Phys. Lett. B* **359**, 411 (1995).
- [57] P. Abreu *et al.* [DELPHI Collaboration], “A Measurement of the photon structure function F2(gamma) at an average Q**2 of 12-GeV**2/c**4,” *Z. Phys. C* **69**, 223 (1996).
- [58] P. Abreu *et al.* [DELPHI Collaboration], “Search for exclusive charmless B meson decays with the DELPHI detector at LEP,” *Phys. Lett. B* **357**, 255 (1995).
- [59] P. Abreu *et al.* [DELPHI Collaboration], “A Measurement of B+ and B0 lifetimes using anti-D lepton+ events,” *Z. Phys. C* **68**, 13 (1995).
- [60] P. Abreu *et al.* [DELPHI Collaboration], “Observation of short range three particle correlations in e+ e- annihilations at LEP energies,” *Phys. Lett. B* **355**, 415 (1995).
- [61] P. Abreu *et al.* [DELPHI Collaboration], “B* production in Z decays,” *Z. Phys. C* **68**, 353 (1995).
- [62] W. Adam *et al.* [DELPHI Collaboration], “Lifetimes of charged and neutral B hadrons using event topology,” *Z. Phys. C* **68**, 363 (1995).
- [63] P. Abreu *et al.* [DELPHI Collaboration], “Lifetime and production rate of beauty baryons from Z decays,” *Z. Phys. C* **68**, 375 (1995).
- [64] P. Abreu *et al.* [DELPHI Collaboration], “Production of strange B baryons decaying into Xi+- - lepton+ pairs at LEP,” *Z. Phys. C* **68**, 541 (1995).
- [65] P. Abreu *et al.* [DELPHI Collaboration], “Measurements of the tau polarization in Z0 decays,” *Z. Phys. C* **67**, 183 (1995).
- [66] P. Abreu *et al.* [DELPHI Collaboration], “Inclusive measurements of the K+- and p / anti-p production in hadronic Z0 decays,” *Nucl. Phys. B* **444**, 3 (1995).
- [67] P. Abreu *et al.* [DELPHI Collaboration], “Strange baryon production in Z hadronic decays,” *Z. Phys. C* **67**, 543 (1995).

- [68] P. Abreu *et al.* [DELPHI Collaboration], “Production of charged particles, K0(s), K⁺, p and Lambda in Z → b anti-b events and in the decay of b hadrons,” Phys. Lett. **B347**, 447 (1995).
- [69] P. Abreu *et al.* [DELPHI Collaboration], “Measurement of Gamma (b anti-b) / Gamma (hadrons) using impact parameter measurements and lepton identification,” Z. Phys. **C66**, 323 (1995).
- [70] P. Abreu *et al.* [DELPHI Collaboration], “Observation of orbitally excited B mesons,” Phys. Lett. **B345**, 598 (1995).
- [71] P. Abreu *et al.* [DELPHI Collaboration], “Search for heavy neutral Higgs bosons in two doublet models,” Z. Phys. **C67**, 69 (1995).
- [72] P. Abreu *et al.* [DELPHI Collaboration], “First measurement of the strange quark asymmetry at the Z0 peak,” Z. Phys. **C67**, 1 (1995).
- [73] P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the forward - backward asymmetry of charm and bottom quarks at the Z pole using D*+- mesons,” Z. Phys. **C66**, 341 (1995).
- [74] P. Abreu *et al.* [DELPHI Collaboration], “First evidence of hard scattering processes in single tagged gamma gamma collisions,” Phys. Lett. **B342**, 402 (1995).
- [75] P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the forward - backward asymmetry of e+ e- → Z → b anti-b using prompt leptons and a lifetime tag,” Z. Phys. **C65**, 569 (1995).
- [76] P. Abreu *et al.* [DELPHI Collaboration], “Production characteristics of K0 and light meson resonances in hadronic decays of the Z0,” Z. Phys. **C65**, 587 (1995).
- [77] P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the Gamma (b anti-b) / Gamma (hadron) branching ratio of the Z by double hemisphere tagging,” Z. Phys. **C65**, 555 (1995).
- [78] P. Abreu *et al.* [DELPHI Collaboration], “Measurement of time dependent B(d)0 - anti-B(d)0 mixing,” Phys. Lett. **B338**, 409 (1994).
- [79] P. Abreu *et al.* [DELPHI Collaboration], “A Study of radiative muon pair events at Z0 energies and limits on an additional Z-prime gauge boson,” Z. Phys. **C65**, 603 (1995).
- [80] P. Abreu *et al.* [DELPHI Collaboration], “Search for pair produced heavy scalars in Z0 decays,” Z. Phys. **C64**, 183 (1994).
- [81] P. Abreu *et al.* [DELPHI Collaboration], “Charged kaon production in tau decays at LEP,” Phys. Lett. **B334**, 435 (1994).
- [82] P. Abreu *et al.* [DELPHI Collaboration], “J / psi production in the hadronic decays of the Z,” Phys. Lett. **B341**, 109 (1994).
- [83] P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the B0 - anti-B0 mixing parameter in DELPHI,” Phys. Lett. **B332**, 488 (1994).
- [84] P. Abreu *et al.* [DELPHI Collaboration], “Search for the standard model Higgs boson in Z0 decays,” Nucl. Phys. **B421**, 3 (1994).